



August 26, 2009

From:

Howard M. Syvarth, TVS Hydrogeologist

To:

UST file

Subject:

UST Closure Reports for Building 2238/Tank Registration #: 81515-8

Enclosed are the file review sheets for the closure of the Underground Storage Tank(s) (USTs) located at the above referenced location. After performing a file review to include submittals to NJDEP, I have determined that the tank closure and the subsequent report meet the minimum requirements established by NJDEP and as such are considered to be closed by both NJDEP and the Directorate of Public Works, US Army Garrison Fort Monmouth.

This document serves as the official site closure. All supporting documentation for the closure of this site can be found in the UST folder located in the library archive in Bldg. 173, Fort Monmouth, New Jersey.

Any questions regarding the information found in this or any other UST folder should be directed to:

Howard M. Syvarth
TECOM-Vinnell Services (TVS)
Staff Hydrogeologist, UST program
Directorate of Public Works, Ft. Monmouth, NJ
Email: Howard.M.Syvarth@us.army.mil

Sincerely,

Howard M. Syvarth

TVS Staff Hydrogeologist

Mr. Charles Appleby
Subsurface Evaluator NJDEP #9974
Environmental Protection Specialist
Directorate of Public Works

U.S. ARMY FORT MONMOUTH UST DATABASE INPUT FORM

SELEM-EH-EV

DATE:
GJDEPE REG. 4 81515 UST 4. 8
PRODUCT: (12) 16. DIESEL, GASOLINE. OTHER,
STATUS: IN USE . NOT IN USE AS OF $\frac{1}{2}$
REASON NOT IN USE. GASIFICATION . LEAKER. DENO
GENERAL COMMENTS:
UST PRODUCT REMOVED: DATE: 11/9/94
CONTRACTOR, SERVAIR P.O.L. T. Smythe
HANIFEST # NONS
COMMENTS: 54 GALS WASTELN TANK
125 GÁLS. TO BLOG 2700
NJDEPE DISCHARGE TO ENVIRONMENT NOTIFICATION (609) 292-7172: CALLER NAME:
DATE: TIME:
NJDEPE CASE NUMBER,
COMMENTS:
Party. The second of the secon
ATTACHHERTS (COPIES): HAZ-MAT HANIFEST. LAND BANSERVICE ORDERPURCHASE REQ
SPILL REPORT
SIGNATURE:DATE:

t Monmouth UST Status Summar

UST REGISTRATION INFORMATION SUMMARY

LOCATION:

2238

NJDEP REG ID:

81:515 - 8

RESIDENTIAL?

YES

UST CONSTRUCTION INFORMATION SUMMARY

SIZE (GALLONS): 550

CONSTRUCTION:

FRP

PRODUCT:

#2 FUEL OIL

YEAR INSTALLED: 1985

UST REMOVAL/INVESTIGATION SUMMARY

REMOVAL DATE: 12/1/1999

REMOVAL CONTRACTOR: TVS

SRF SEND DATE:

TMS:

DICAR NO.

N/A LEAK DETECT:

REMEDIATION **COMMENTS:**

11/09/94 SAI removed 125 gallons of oil; left 54 gallons of waste in tank. Residential UST with no DICAR and no contamination; no Closure Report

required.

REGISTRATION **COMMENTS:**

SAS DONE:

CONSULTANT:

MWs NEEDED:

MONITORING WELLS: 0

SUB-SURFACE

D. Desai

EVALUATOR:

CURRENT UST STATUS

UST STATUS: Removed; Report Submitted/Not Nec. CASE STATUS:

Case Closed

SUBMITTAL DATE:

APPROVAL DATE:



Fort Manipouth Underground Storage Tank Assessment Questionnaire

Site Name: 2238 -	NFA ISSUED:
Is the UST Residential: YES	File Review Date: 10/07/09 By: 10ward Survey L
There is / are UST(s) located at this site.	-3-70
This NJDEP UST Registration # is: 81515 - 8 to _	
This UST was 550 Gallons in size, was made of FRP and co	ontained #2 FUEL OIL.
The UST was installed in 1985 and removed by TVS	on 12/1/1999 A
Standard Reporting Form was sent to the NJDEP on	. NJDEP Closure #
Subsurface Evaluator: D. Desai	NJDEP #
A Site Investigation Report was completed by TVS	and submitted to the NJDEP on
The Revised Status as of completed	l byis:
The Current UST Database Comments are: 11/09/94 SAI re	moved 125 gallons of oil; left 54 gallons of waste
in tank. Residential UST with no DICAR and no contamination	n; no Closure Report required.
The Revised Comments as of 10/22/69 comp	leted by Howard Synorth is:
The Revised Comments as of 10/27/60 comp NO NEA LOSAL, ron Leaking M UST.	on regulated residential
· · · · · · · · · · · · · · · · · · ·	
Database updated on by	·
Remedial Phases: [] PA [] SI [] RI	
	[]RAW []CEA []NFA
[] Project transferred to the Fo	[] RAW [] CEA [] NFA ort Monmouth Restoration Program



Fort Monmouth Underground Storage Tank Assessment Questionnaire

If Yes, provide the following: Case Number ase Lead (US Army) ase Manager (NJDEP)		·
ase Lead (US Army)		
ase Manager (NJDEP)		
·		
ase Status Data base " Case Closed , As of this date:		
/as a Preliminary Assessment (PA) performed in accordance with .J.A.C. 7: 26E-3.1?	[]Yes	$\langle \zeta_1 \rangle$
Vere any Areas of Concern (AOCs) identified? Yes proceed to question 4. If no, proceed to Check List (page 8).	Yes	[
/ere any potentially contaminated AOCs identified?	[XYes	[
ist and describe all potentially contaminated AOCs.	/	
ST Area Underground Piping Area Dispenser Area [] UST I	Fill Area [X	•
ist and describe all AOCs subject to the 7:26E Regulations. UST Area [X] Underground Piping Area [] UST I	Fill Area	
/as a discharge of a hazardous substance, contaminant or pollutant identified?	[]Yes	×
oil [] Ground Water [] Surface Water [] Ecologically Sensit	ive Area []	
Other [] (specify)		

Fort Monmouth Underground Storage Tank Assessment Questionnaire

7.	How was the discharge identified? (check all that apply)		
	Sample Analysis [] Olfactory [] Visual [] Record/ Loss of Product [Other [] (specify)	_	s[]
8.	What was the source of the discharge? UST Area [] Underground Piping Area [] Dispenser Area [] UST		.
9.	Were any of the following conditions present? (Check all that apply.)		
	Soil Staining [] Distressed or Dead Vegetation [] Product Entering S Product Entering Basement [] Off-site Migration [] Product Observed Other [] (specify)	on Surface Wate	
10.	Were samples collected in accordance with the provisions of N.J.A.C. 7:26E and the Department's applicable Field Sampling Procedures Manual?	∫XYes	[]No
	TPHC VOA+10 [] BN+15 [] lead [] Other:	PP+40 []	
11.	Were soil samples collected at the appropriate depth as per N.J.A.C. 7:26E	Yes	[]No
12.	Were samples biased toward the most contaminated areas using field Instruments and/or visual and olfactory observations?	Yes YYes	[]No
	How was this accomplished?		
13.	If only TPHC samples taken, were samples >1000mg/kg run for VOA+10?	[]Yes	No
14.	Was the vertical and horizontal extent of soil contamination delineated prior to	remediation?	
	Explain: non lacking UST, no remediation	[]Yes	No
	medel.		

Fort Monmouth Underground Storage Tank Assessment Questionnaire

Source Removal and Disposal [] Free Product removal by Vacuum Truck [Other:			
f excavation was performed, what was the depth of the bottom of the excavation?		~7	feet.
What is the approximate depth to saturated zone (seasonally high water table)?			feet.
Iow was this determined? Observed Measurement [] Monitoring Well [] Other:			
s the Site Tidally Impacted?	[]Yes	[]No
How was this determined?			
Was ground water present in the excavation?	F	lYes	VINo
If yes, was there a sheen observed on ground water?	[]Yes	[]No
Are there any Public Supply Wells within 2,000 feet of confirmed soil contamination?	[]Yes	[]No
How was this determined? Well Search: []			
Was contaminated soil removed from the site?	_]Yes	∭No
flow much soil was removed? tons/cubic yards (circle one)			
To what facility was the soil taken?			
	f excavation was performed, what was the depth of the bottom of the excavation? That is the approximate depth to saturated zone (seasonally high water table)? flow was this determined? Observed Measurement [] Monitoring Well [] Other: Is the Site Tidally Impacted? What is the percentage of silt/clay in the soil between the contaminant and the saturated in the saturated soil to the excavation? If yes, was there a sheen observed on ground water? Are there any Public Supply Wells within 2,000 feet of confirmed oil contamination? How was this determined? Well Search: []	f excavation was performed, what was the depth of the bottom of the excavation? //hat is the approximate depth to saturated zone (seasonally high water table)? //ow was this determined? Observed Measurement [] Monitoring Well [] Other: // Sthe Site Tidally Impacted? // What is the percentage of silt/clay in the soil between the contaminant and the saturat // How was this determined? // Was ground water present in the excavation? [If yes, was there a sheen observed on ground water? // Care there any Public Supply Wells within 2,000 feet of confirmed oil contamination? // How was this determined? Well Search : [] // Was contaminated soil removed from the site? // Care there are a sheen observed on the site?	f excavation was performed, what was the depth of the bottom of the excavation? That is the approximate depth to saturated zone (seasonally high water table)? It was ground water present in the excavation? If yes, was there a sheen observed on ground water? If yes, was there a sheen observed on ground water? If yes, was this determined? If yes was this determined? If yes was this determined? If yes was there any Public Supply Wells within 2,000 feet of confirmed oil contamination? If yes was this determined? If yes was contaminated soil removed from the site?

Fort Monmouth Underground Storage Tank Assessment Questionnaire

	Cir No, describe in detail in Comments Page o			
22.	Was this an investigation pertaining to a non-regulated heating oil Fort Monmouth Database: YES If yes, complete the following, If no go to 23	tank?	∭Yes	[]No
	Do on-site structures have a basement/crawl space?		[]Yes	[X]No
	Was staining observed on the basement/crawl space walls or floor	or?[]Yes	[]No	[X]NA
	Were petroleum odors observed in the basement/crawl space?	[]Yes	[]No	[X]NA
	Is a sump present in the basement/crawl space? If yes, please indicate location on site map.	[]Yes	[]No	AN[X]
	Was water observed in the sump?	[]Yes	[]No	[X]NA
	Was a sheen observed on the water in sump?	[]Yes	[]No	[X]NA
	If there was no water in the sump was the base of the sump invefor a petroleum discharge?	stigated []Yes	[]No	[/]NA
	If the sump was investigated, was a discharge observed?	[]Yes	[]No	[X]NA
23.	Is a regulated underground storage tank the subject of the remedi	ation?	[]Yes	No
	If yes, complete the following, If no, go to 24			,
	Was a closure approval or 14 day notification obtained prior to the closure of the tank? List Closure Approval/Notification Numbers NJDEP Closure #		[]Yes 	[]No
	Was the closure or any remediation performed by an individual and firm certified in closure and subsurface evaluation?		[]Yes	[]No
	Subsurface Evaluator: D. Desai			
	Individual certification number:		_	
	Firm certification number:		_	
	Was an Underground Storage Tank Facility Certification Question completed and submitted "delisting" the subject tanks?	onnaire	[]Yes	[]No
24.	Was a Baseline Ecological Evaluation conducted pursuant to N.J.	A.C 7:26E?	[]Yes	[X]No
	If No, was the BEE a regulatory requirement at the time? (UST removed prior to 1997 or the UST is Residential?)	•	[]Yes	[X]No YZ]NA
	If Yes, is there a contaminant of concern present?		[]Yes	No

Ouestionnaire " D Are there environmentally sensitive natural resources within []Yes []No or surrounding the property? Are there potential contaminant migration pathways present? []Yes []No Were potential ecological impacts identified? []No lYes Is a BEE planned to be completed for this site? []Yes []No 25. Was the site restored in accordance to N. J.A.C. 7:26E-6.4(b)? []No 26. Was the remedial investigation/action report prepared in accordance with N.J.A.C. 7:26E? []Yes Remediation completed date: 27. Are there currently, or have there ever been, any Deed Notices or Declarations 28. of Environmental Restriction pursuant to N.J.S.A. 58:10B-1 et seq. and [**X**]No N.J.A.C. 7:26E-1 et seq. for the Site? []Yes If yes, Attach a copy of the Deed Notice or Declaration of Environmental Restriction. Has NJDEP ever issued a no further action letter ("NFA") for 29. any portion of the Site? []Yes **NFA ISSUED:** If Yes, in accordance with N.J.S.A. 58:10B-13(e), is there an order of magnitude difference between the currently applicable remediation standard or criterion and the contaminant level approved under such previously issued NFA? []Yes Subcontractors employed during the investigation/remediation (list all): 31. Name/Address:TVS Name/Address: TVS Name/Address: Name/Address: Name/Address: **COMMENTS:**

Fort Monmouth Underground Storage Tank Assessment

. 🚳^

Fort Monmouth Underground Storage Tank Assessment Questionnaire © © 5 PINT LEGIBLE.

Fort Menmouth Underground Storage Tank Assessment Questionnaire

Site Investigation - Remedial Investigation/Action Report Checklist: DATE:

			<u> </u>	
•	Soil Contamination currently exists on site	[]Yes	[X]No	[]NA
•	GW Contamination currently exists on site	[]Yes	[X]No	[JNA
•	Contaminated Soil Disposal Receipt (fully executed manifest)	[]Yes	No	[]NA
•	Tank Disposal Certificate	[X]Yes	[]No	[]NA
•	Tank Contents Disposal Receipt (fully executed manifest)	[]Yes	MNo	[]NA
•	Fill was "certified clean" in accordance with N.J.A.C.7:26E-6.4	[]Yes	[]No	NA
•	Scaled site map with AOCs and north arrow	[]Yes	No	[]NA
• .	Sample Results Summary Tables (N.J.A.C.7:26E-4.8)	Yes	[]No	[]NA
•	Laboratory was certified to perform the required tests	₹ Yes	[]No	[]NA
•	Chain of Custody forms submitted	ĭXYes	[]No	[]NA
•	Signed laboratory deliverables checklist and Non-Conformance Summaries submitted	√]Yes	[] No	[]NA
•	Problems identified in the laboratory deliverables checklist and Non-Conformance summaries	YJYes	.[]No	[]NA
•	Holding times were met for all analyses	⊬∕JYes	[]No	[]NA
•	MDLs below most stringent soil cleanup criteria]Yes	[]No	[]NA
•	Laboratory sample summary submitted ;	Yes	[]No	[]NA
•	QA/QC package (reduced deliverables) submitted	[]Yes	[]No	, MA
•	VOC soil samples methanol preserved (sample weights included)	∑ Yes	[]No	[]NA
•	Electronic data package (home heating oil tanks exempt)	[]Yes	[]No	AV I
•	Well search submitted	[]Yes	[]No	INA
•	Baseline Environmental Evaluation (home heating oil tanks exempt)	[]Yes	[]No	∑ NA
•	Closure approval notification enclosed	[]Yes	[]No	JANA JANA
•	No Further Action letter(s) enclosed	[]Yes	[]No	≯ NA

8

Site 2238



TVS UTILITY MARKING REQUEST

Request marking of circled utility lines in the area indicated below.

NJ Nat. Gas Co. Post Telephone
NJ Bell Post water/sewer
NJ American Water Co. Post Electric JCP&L Co. Sewage Auth.
Cable TV Co.
COUNTY: Honmouth
TOWNSHIP: TINTON FALLS (See municipality list)
TOWN: Fort Monmouth
BUILDING NUMBER: 2238
STREET ADDRESS: 22+24 HEMPHILL RD
NEAREST CROSS STREET: GUAM LANE, HOPE RD
(e.g. street, sidewalk, etc.)
date of excavation: $11-2-99$ 0800
DEPTH OF EXCAVATION: 10 PT. MAX.
COMPANY NAME. TVS
COMPANY ADDRESS: P.O. Box 60 Pt. Honmouth, NJ 07703 S.O. /Z.J.O. NUMBER: 100004 NAME OF REQUESTOR: FRANK ACCORS! DATE OF REQUEST: 10-26-99 NAME OF CALLER:
S.O. /Z.J.O. NUMBER: 100004
NAME OF REQUESTOR: FRANK ACCORS!
DATE OF REQUEST: $10-26-99$
NAME OF CALLER:
DATE OF CALL:
HARKING NUMBER: 993000429
Approval for emergency digging without marking:
UNDERGROUND STORAGE THINK REMOVAL
(530 a)

[174]

from: New Jersey One Call - FAX D -

10-27-99

New Jersey One Call System

SEQUENCE NUMBER 0005

CDC = FOM

Date: 10/27/99 Transmit: At: 0953

*** Request No.: 993000429 *** ROUTINE

Operators Notified:

CC4=/COMCAS-MNMOUTH / NJN=/NJNG-UTILIQUEST/ NJA=/NJ AMER WTR GP9=/GPU ENERGY-CLS / BAN=/BELL ATL NJ-CLS/ FOM=/FORT MONMOUTH

Location Information:

County: MONMOUTH Municipality: TINTON FALLS

Subdivision/Community: FORT MONMOUTH 18 HEMPHILL RD

Nearest Intersection: HOPE RD Other Intersection: GUAM LN Type of Work: REMOVE UST

Extent of Work: ENTIRE FRONT DEPTH: 10FT

Location Reference:

FRONT -

Start Date/Time: 11/02/99 At 0800

Remarks:

EXPIRATION DATE 12/13/99 1 BLDG 2 UNITS BLG 2238

Working For: TVS

Address: PO BOX 60

FORT MONMOUTH City: 07703

732-532-6955 Phone:

Contact: EILEEN MAIAR Title:

Excavator Information:

EILEEN MAIAR Title: WORK CNTRL Caller:

Phone: 732-532-6955

TVS Excavator:

PO BOX 60 Address:

City: FORT MONMOUTH, NJ 07703

732-542-1107 Phone: 732-532-6955 Fax: Contact: EILEEN MAIER Title: WORK CNTRL Phone: 732-532-6955 Best Time: 0800-1600

Cellular:

Alternate Field Contact:

Title: SUBSRFC EV Name: FRANK ACCORSCK

Phone: 732-532-2577 Fax:

Best Time: 0800-1600 Cellular:

End Request

NUC

New Jersey One Call System

SEQUENCE NUMBER 0010

CDC = FOM

Transmit: Date: 10/29/99 At: 1421

*** ROUTINE *** Request No.: 993020991

Operators Notified: CC4=/COMCAS-MNMOUTH / NJN=/NJNG-UTILIQUEST/ NJA=/NJ AMER WTR GP9≈/GPU ENERGY-CLS / BAN≒/BELL ATL NJ-CLS/ FOM=/FORT MONMOUTH

Location Information:

County: MONMOUTH Municipality: TINTON FALLS

Subdivision/Community: FORT MONMOUTH Street: 22 - 24 HEMPHILL RD

Nearest Intersection: HOPE RD Other Intersection: GUAM LN Type of Work: REMOVE UST

Extent of Work: ENTIRE FRONT DEPTH: 10FT

Location Reference:

FRONT-

Start Date/Time: 11/05/99 At 0800

Remarks:

EXPIRATION DATE 12/15/99 1 BLDG 2 UNITS BLG 2238

TVS Working For:

Address: PO BOX 60

Citv: FORT MONMOUTH 07703

Phone: 732-532-6955

Contact: Title: EILEEN MAIAR

Excavator Information:

Caller: Title: WORK CNTRL EILEEN MAIAR

Phone: 732-532-6955

Excavator: TVS

Address: PO BOX 60

07703 City: FORT MONMOUTH, NJ

732-532-6955 732-542-1107 Phone: Fax: Contact: Title: WORK CNTRL EILEEN MAIER

Best Time: 0800-1600 Phone: 732-532-6955

Cellular:

Alternate Field Contact:

Title: SUBSRFC EV Name: FRANK ACCORSCK

Fax: Phone: 732-532-2577

Cellular: Best Time: 0800-1600

End Request



US ARMY, SELFM-PW-EV DAILY UST SUBSURFACE REMOVAL LOG

BLDG.#: 2238	REG.#: 81515	<i>8</i> closure#	:
DATE: 1/-30-99	TOA:	· TOD:_	
GOV. SSE:		NJDEP CERT.#: 0	010042
	REMOVAL CONTRACTOR:	SAI Inc.	
CLOSURE SUPERVISOR:	FRANK ACCORSI	NJDEP CERT.#:	0010042
WEA	THER: CLOUDY, WINDY, C	and, 30's.	

· ACTIVITY	YES/ NO
THE SUPERVISOR (CLOSURE CERT.) WAS ON-SITE DURING ALL CLOSURE RELATED ACTIVITIES	Y
THE SSE WAS ON-SITE DURING UST REMOVAL AND SITE SCREENING AND SAMPLING ACTIVITIES	Y
ALL ON-SITE PERSONNEL HAD TRAINING IAW ALL SAFETY REQUIREMENTS (E.G. 29CFR)	Y
A CONFINED ENTRY PERMIT WAS COMPLETED AND POSTED ON-SITE BY THE CONTRACTOR	NA
THE UST WAS PLACED ONTO PLASTIC, SCRAPED OFF, INSPECTED FOR HOLES AND PHOTOGRAPHED	Y
A DISCHARGE WAS REPORTED TO THE NJDEP (609-292-7172), CASE#	N
PHOTOS HAVE UST#, BLDG. #, DATE, TIME, NAME OF SSE AND DESCR. WRITTEN ON BACK	4
GROUNDWATER WAS ENCOUNTERED AT FEET BG, A SHEEN (WAS/WAS NOT) OBSERVED ON GW	NA
IF OVA/Hnu WAS USED: WAS IT CAL. AND FOUND TO BE OPERATIONAL (cal. data on COC)	Y
IF SAMPLES WERE TAKEN: COC, SCALED SITE MAP (VERT. SOIL HORIZONS AND PLOT PLAN)	7
ALL SAMPLE COLLECTION ACTIVITIES WERE AS DESCRIBED IN THE NJDEP FSPM, 1992	Y
ALL SAMPLING WAS BIASED TOWARD HIGHEST OVA/FID RECORDED SITES IAW 7:26E-3.6 et seq.	Y
ALL PETROL. CONT. SOILS WERE SECURED FROM THE WEATHER BY CLOSE OF BUSINESS TODAY	NA
THE SSE AUTHORIZED BACKFILLING THE EXCAVATION (STONE TO 1" ABOVE GROUNDWATER)	Y
ADDITIONAL NOTES WERE TAKEN AND ARE RECORDED ON THE BACK OF THIS FORM	N
THE FOLLOWING DOCUMENTS WERE ADDED TO THE PROJECT FOLDER TODAY: (CIRCLE EACH)	
SCRAP TICKET, CSE PERMIT, ACCIDENT REPORT, HAZ. WASTE MANIFEST, <u>DAILY UST CLOSURE LOG</u> , SCALED SITE MAP (SAMPLING), SRF-CLOSURE, <u>CHAIN OF CUSTODY</u> , <u>SOIL ANALYTICAL RESULTS</u> , CLEAN FILL TICKETS(IN YDS ¹), PHOTOGRAPHS (UST, EXCAVATION, SAMPLING POINTS)	

I certify under penalty of law that tank decommissioning activities were performed in compliance with N.J.A.C. 7:14B-9.2(b)3 and 7:26 et seq.. I am aware that there are significant penalties for submitting false, inaccurate, or incomplete information, including fines and/or imprisonment.

SIGNATURE:	Frank aussi	DATE: 11-30-99
------------	-------------	----------------

US ARMY, FORT MONMOUTH

BLDG.#: <u>2238</u>	REG.#:	81515	- 8	CLOSURE#:	·
DATE: 11-30-99		TOA:		TOD:	
CLOSURE SUPERVISOR:	FRANK	ACCORSI	NJDE	CERT.#: 00	0/0042
PERSONNEL: FO CRAS	ULEY "MAK	K VELTRE			
· · · · · · · · · · · · · · · · · · ·	, <u>, , , , , , , , , , , , , , , , , , </u>				

	
ACTIVITY	YES/
THE SUPERVISOR (CLOSURE CERT.) WAS ON-SITE DURING ALL CLOSURE RELATED ACTIVITIES	Y
THE SSE WAS ON-SITE DURING UST REMOVAL AND SITE SCREENING AND SAMPLING ACTIVITIES	Y
ALL ON-SITE PERSONNEL HAVE CURRENT TRAINING IAW ALL SAFETY REQ. (E.G. 29CFR)	Y
ALL UTILITIES WERE MARKED OUT PRIOR TO ANY EXCAVATION (VISUAL CONFIRM YES NO)	Ý
HAND EXCAVATION WAS DONE WHEN EXCAVATING WITHIN 4 FT OF ANY UTILITIES	Y
ALL UST PIPING WAS BLOWN BACK AND DRAINED PRIOR TO ANY EXCAVATION WITH BACKHOE	Y
ALL UST PIPING WAS REMOVED PRIOR TO UST EXCAVATION	Y
A CONFINED ENTRY PERMIT WAS COMPLETED AND POSTED ON-SITE BY THE CONTRACTOR	NA
THE UST WAS CLEANED AND NO RESIDUAL LIQUIDS WERE LEFT IN THE TANK	Ν
THE UST WAS PLACED ONTO PLASTIC, SCRAPED OFF, INSPECTED FOR HOLES AND PHOTOGRAPHED	Y
DRUMS OF WASTE WERE GENERATED AT THIS SITE TODAY(ID CARDS COMPLETED)	N
DRUMS OF WASTE WERE TRANSPORTED TO THE (MP,CW,EV) HWSA	N
GALLONS OF X WASTE WERE REMOVED (MANIFEST#:)	N
CUBIC YARDS OF PETROL. CONT. SOIL WERE EXCAVATED+TRANS TO (T-80, 2624)	N
THE DPW WAS NOTIFIED OF ANY DISCHARGE TO THE ENVIRONMENT. (WHO)	NA
ALL PETROL. CONT. SOILS WERE SECURED FROM THE WEATHER BY CLOSE OF BUSINESS TODAY	NA
THE SSE AUTHORIZED BACKFILLING THE EXCAVATION. SSE INITIAL REQUIRED:	4
THE UST WAS TRANSPORTED TO BLOG /// YAP-O FOR DISPOSAL (ATTACH SCRAP TICKET)	7
ADDITIONAL NOTES WERE TAKEN AND RECORDED ON THE BACK OF THIS FORM	~
THE FOLLOWING DOCUMENTS WERE GIVEN TO THE SSE TODAY: (CIRCLE EACH OR ADD ITEMS) SCRAP TICKET, CSE PERMIT, ACCIDENT REPORT,	N

I certify under penalty of law that tank decommissioning activities were performed in compliance with N.J.A.C. 7:14B-9.2(b)3. I am aware that there are significant penalties for submitting false, inaccurate, or incomplete information, including fines and/or imprisonment.

SIGNATURE:	_ Trank	Ausri	_ DATE:	11-30-99
0 # 01.11 01.1 <u> </u>	UUUsiU	- 0000		





DIRECTORATE OF PUBLIC WORKS FORT MONMOUTH, NEW JERSEY 07703

Contract Management Division

SUBJECT: PWS-007, Residential UST Removal

Contractor: TVS Inc.

RE: Backfilling of excavation,

BUILDING #: 2238 (HEMPHILL RD.)

TVS Inc.

Field Supervisor, PWS-007

ATTN: Brian Finch

Building 166

Fort Monmouth, New Jersey 07703-5000

Dear Mr. Finch:

The above referenced area has been sampled and analyzed as described in the NJDEP Regulations. The results indicate levels of petroleum contamination below the NJDEP allowable limits or that the site requires further investigation outside the scape of this contract. The contractor may proceed with the backfilling of the excavation with stone to groundwater and clean fill to grade as required in the above referenced contract specification.

Regards

Mr. Dinker Desai

Environmental Engineer

Directorate of Public Works

CC: UST file copy





Report of Analysis, my, Fort Monmouth Environmen NJDEP Certification # 13461

Client:

U.S. Army

Lab. ID#:

4970

DPW. SELFM-PW-EV

Date Rec'd:

01-Dec-99

Bldg. 173

Analysis Start:

01-Dec-99

Ft. Monmouth, NJ 07703

Analysis Complete:

Injection Volume

01-Dec-99

Analysis:

OQA-QAM-025

UST Reg. #:

81515-8

Matrix:

Soil

Closure #:

Analyst:

B.Patel

DICAR #:

1 ul

Inst. ID.

GC TPHC INST. #1

Column ID

0.32 mm

Column Type

RTX 5

Location #:

Bldg. 2238

Ext. Meth:

Shake

Sample	Field ID	Dilution Factor	Weight (g)	% Solid	MDL (mg/kg)	TPHC Result (mg/kg)
4970.01	2238-A	1.00	15.53	91.75	165	ND
4970.02	2238-B	1.00	14.99	83.42	188	ND
4970.03	2238-C	1.00	15.79	88.43	168	ND
4970.04	2238-D	1.00	15.69	83.66	179	ND
4970.05	2238-E Duplicate	1.00	15.23	93.56	165	ND
METHOD BLANK	TBLK287	1.00	15.00	100.00	157	ND

ND = Not Detected

MDL = Method Detection Limit

Daniel K. Wright

Laboratory Director

Fort N onmout | Environmental 'esting Laboratory

Bldg. 173, SELFM-PW-EV, Fort Monmouth, NJ 07703

Tel (732)532-4359 Fax (732)532-6263 EMail:appleby@mail1.monmouth.army.mil

NJDEP Certification #13461

Chain of Custody Record

Customer: Dinker Desai	Project No:		100004				Αn	alysis Parameters		Comments:
Phone #: X21475	Location:	3604.	2238	3		3 *	*			* = Samples Kept <4°C
(.)DERA (X)OMA UST Assessment	ust#_8	1515-	8				-10		Reading	
Samplers Name / Company : Frank Accorsi/TVS			Sample	#	TPHC	SOLIDS	VOA+10		Rea	
Lab Sample I.D. Sample Location	Date	Time	Турс	bottles	ΔL	%)/	VOA ID#	뎶	Remarks / Preservation Method
51970, 01 2238-A. WEST END, 7-7.5 F	12-1-99	1050	50.1L	2	X	Χ	X	a24	0	ICE
Od 2238-B, EAST AND 7-7,5 FT		1100		2	х	χ	Х	025	0	
0.5.2238-C, PIPING 1-1.5 PT		1110		2	χ	γ	Х	036	0	·
Del 2238-0, PIPING 1.5-2 FT		1130		2	χ	χ	Х	027	0	
05 2238-E, DUPLICATE		1050	Y	2	Х	Х	Х	028	0	
V BETRIP BLANK	<u> </u>		AQ			X	X	029	-	<u> </u>
`										
	<u> </u>									
										=.
OVM sn#580U-64455.343 was calibrated w	ith zero air	& w/ <u>245</u>	ppm Isob	utylene	read .	244	_ppm	0950 12-1-99 FA	ime/d	late & initial)
Relinquished by (signature): Date/Time:	Repeived by	(signature):		Relinqu	ished b	y (sign	ature):	Date/Time:		
Frank autri 121-99 1145	1	كالملك	us							
Retinquished by (signature): Date/Time:	Received by	(signature):	:	Relinqu	ished b	y (sign	ature):	Date/Time:		
	<u> </u>	V								
Report Type: ()Full, ()Reduced, ()Standard, ()Screen / non-certified, (DEDD				Rema	*		Dedicated Sar	npling	Tools Used ON MIGHEST, MIN.) NA ONE
Turnaround time: ()Standard 2 wks, (QRush / Days, ()ASAP Verba	Hrs.				VUT All sag	mple po	oints ha	sve been GPS? (MYES () N	7", O () NA ONE




SAMPLE RECEIPT FORM
Date Received: 12-1-99 Lab Project ID#: 4970 Site/Project Name: bldq 2238 Cooler Temp (°C): 10C Received By: J. Jergur A (print name) Check the appropriate answer
1. Did the samples come in a cooler? 2. Were the chain of custody papers filled out correctly and legibly? 3. Did you sign the chain of custody in the appropriate place? 4. Did all the labels agree with the chain of custody and in good condition? 5. Were the correct containers and/or preservatives used for the tests indicated? 6. Was a sufficient amount of sample sent for the tests indicated? 7. Were bubbles absent from aqueous VOC sample containers? 8. Were samples received on ice?

Fill out the following table for each sample bottle

Sample ID	pH	Preservative	Sample ID	pН	Preservative
1 70.4					
(\					
		:			
	•				
<u> </u>					
			<u> </u>		
	:				
					,
				<u>, </u>	
					·
	<u> </u>		:		

Cor	nments:			 	 	<u> </u>	<u> </u>	
	 			 				
					 ,			
				 			-	
		<u>. </u>	· · · · · · · · · · · · · · · · · · ·	 		-		



ายก่อง คุณสาวสารที่ก็นมน**อ** 1**61,** พิทธิบณาสมัยสภูคอ

LINATA E EPORT

ort a with ment i Laboratory

 $\sum_{i=1}^{n} \lambda_i$

.L DIVISION

Fort Monino , New Jersey

PROJECT ... O# 100004

relatory aaf: A D# - Î	\$ X	Date and Time of Collection	Date Received
:970 91		01-1120-99 10:50	12/01/99
970 92	· it	(1-F)26-99 11.00	12/01/99
3	\ (01-11-20-99 11:10	12/01/99
. 1	5. d	01-11-c-99 11 20	12/01/99
		01-11 c-99 10:50	12/01/99
1970	Mr. C	01-Dec-99	12/01/99

 $= \{(1,1) \in \mathsf{MRONN} \mid \exists \mathsf{TALLAB} \\ \exists (1,1) \in \mathcal{O}' \in S \}$

STODY

Daniel Wright/Date

Laboratory Director







Table of Contents

Section	Pages
Method Summary	1
Conformance/Non-Conformance	2
Chain of Custody	3
Results Summary	4
Initial Calibration Summary	5
Continuing Calibration Summary	6
Surrogate Results Summary	7
MS/MSD Results Summary	8
Blank Spike Summary	9
Raw Sample Data	10-21
Laboratory Deliverable Checklist	22
Laboratory Authentication Statement	23







Method Summary

NJDEP Method OQA-QAM-025-10/97

Gas Chromatographic Determination of Total Petroleum Hydrocarbons in Soil

Fifteen grams (15g)(wet weight) of a soil sample is added to a 125 mL acid cleaned, solvent rinsed, capped Erlenmeyer flask. 15g anhydrous sodium sulfate is added to dry sample. Surrogate standard spiking solution is then added to the flask.

Twenty five milliliters(25mL) Methylene Chloride is added to the flask and it is secured on a orbital shaker table. The agitation rate is set to 400rpm and the sample is shaken for 30 minutes. The flask is the removed from the table and the particulate matter is allowed to settle. The extract is transferred to a Teflon capped vial. A second 25mL of Methylene Chloride is added to the flask and shaken for an additional 30 minutes. The flask is again removed and allowed to settle. The extracts are combined in the vial then transferred to a 1mL autosampler vial.

The extract is then injected directly into a GC-FID for analysis. The sample is analyzed for petroleum hydrocarbons covering a range of C8-C42 including pristane and phytane. Total Petroleum Hydrocarbon concentration is determined by integrating between 5 minutes and 22 minutes. The baseline is established by starting the integration after the end of the solvent peak and stopping after the last peak.

The final concentration of Total Petroleum Hydrocarbons is calculated using percent solid, sample weight and concentration.

000001





Indicate Yes, No, N/A II JUNATURE _yes Conformination - Liyes, but the sample and the <u> 120</u> concer trations in each blank. H. Summa / Meet Criteria tple and an responding recovery which (able r. age). l'oct Criteria - responding recovery which uge). r is like blanks had son job is NA and admitted is a minimum applies וווו ייזן a swighting w icled. is holding time met. and, list number of days exceeded for each sample).

Fort N onmouth Environmental Testing La Joratory

Bldg. 173, SELFM-PW-EV, Fort Monmouth, NJ 07703
Tel (732)532-4359 Fax (732)532-6263 EMail:appleby@mail1.monmouth.army.mil
NJDEP Certification #13461

Chain of Custody Record

Customer: Dinker	r Desai			Project No:		100004		Analysis Parameters				Comments:	
Phone #: X21475				Location: (3404.	223	8		*	*			* = Samples Kept <4°C
()DERA (X)OMA	UST As	sessment		UST# 8	1515-	8			SOLIDS	-10		Reading	
Samplers Name /	Compai	ıy : Frank A	ccorsi/TVS_			Sample	#	TPHC	SO	VOA+10		Reg .	
Lab Sample I.D.		Sample Lo	cation	Date	Time	Type	bottles	TP	%	×	VOA ID#	ĕ	Remarks / Preservation Method
4970.01	2238	A. WEST A	VD. 7-7.5 F	12-1-99	1050	501L	2	X	X	X	024	0	ICE
02	2238	B.EHST A	10 7-7,5 FT		1100		2	Х	χ	X	025	0	
03	2238	C, PIPING	1-1.5 PT		1110		2	χ	χ	X	026	0	
04	2238	-D. PIPINO	1.5-2 FT		1120		2	χ	_χ	X	027	0	
1 85	2238	E. DUPLIC	ATE		1050	LY_	2	Х	X	X	028	0	
		BLANK		Y		AQ			X	X	029	_	Y
· · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·									ļ	
		<u></u>			<u></u>		<u> </u>						
·			· · · · · · · · · · · · · · · · · · ·	<u></u>			<u> </u>				<u> </u>		
		<u>.</u>											
			2%										
	<u> </u>				<u> </u>		<u> </u>						<u> </u>
OV	/M sn#58	80U-64455.34	was calibrated w	ith zero air	8 w/ <u>245</u>	ppm Isob	utylene	read ,	244	ppm	0950 12-1-89 174	time/c	late & initial)
Relinquished by (signatur	re):		te/Time:	Repeived by	(signature):	:	Relinqu	uished t	y (sign	ature):	Date/Time:		
Franklus	ru	12-1-99	1145	h/1	كالمال	<u> </u>	4					<u> </u>	·
Relinquished by (signatur	re):	Da	te/Time:	Received by	(signature):		Relinqu	rished t	y (sign	ature):	Date/Time:		()
				<u> </u>	V		<u>. </u>	, .					
Report Type: ()Full, ()	Reduced,	Standard, ()S	creen / non-certified, (_)EDD				Rema	杰	. برم	Dedicated Sa 25% > /000 // M 1	mpling	Tools Used WEST, MIN.
Turnaround time: ()Stan	dard 2 wks	, ⊗Rnsh _ D	ays, ()ASAP Verbal	Hrs.		······		All sa	mple p	oints h	ive been GPS? (NYES ())	<u>ن در</u>	NA UNE

· · · · · · · · · · · · · · · · · · ·										
		SAMPLE REC	CEIPT FORM							
										
Date Received:	12-1-99	<u></u>	Lab Project II							
Site/Project Name:	bldg 23	138	Cooler Temp	(°C): 1.00	, 					
Received By:	Vergu	rA	Sign	lugen	<u>~</u>					
(print name)		~		(1	1					
		Check the appr	opriate answer	0 .						
 3. Did you sign the chain 4. Did all the labels agrees 5. Were the correct connection 6. Was a sufficient amone 7. Were bubbles absent 8. Were samples receive 	1. Did the samples come in a cooler? 2. Were the chain of custody papers filled out correctly and legibly? 3. Did you sign the chain of custody in the appropriate place? 4. Did all the labels agree with the chain of custody and in good condition? 5. Were the correct containers and/or preservatives used for the tests indicated? 6. Was a sufficient amount of sample sent for the tests indicated? 7. Were bubbles absent from aqueous VOC sample containers? 8. Were samples received on ice? Fill out the following table for each sample bottle									
			m							
Sample ID	DH	Preservative	ll Sample ID	Ha	Preservative					
Sample ID	pН	Preservative	Sample ID	pН	Preservative					
Sample ID	pH	Preservative	Sample ID	pH	Preservative					
Sample ID	pH	Preservative	Sample ID	pH	Preservative					
Sample ID	pH	Preservative	Sample ID	pH	Preservative					
Sample ID	pH	Preservative		pH	Preservative					
Sample ID	pH	Preservative		pH	Preservative					
Sample ID	pH	Preservative		pH	Preservative					
Sample ID	pH	Preservative		pH	Preservative					
Sample ID	pH	Preservative		pH	Preservative					
Sample ID		Preservative		pH	Preservative					
Sample ID		Preservative		pH	Preservative					
Sample ID		Preservative		pH	Preservative					
Sample ID		Preservative		pH	Preservative					
Sample ID		Preservative		pH	Preservative					
Sample ID Comments:		Preservative		pH	Preservative					
		Preservative		pH	Preservative					
		Preservative		pH	Preservative					
		Preservative		pH	Preservative					
		Preservative		pH	Preservative					





Report of Analysis Army, Fort Monmouth Environmental Lab NJDEP Certification # 13461

Client: U.S. Army Lab. ID #:

4970

DPW. SELFM-PW-EV

Date Rec'd:

01-Dec-99

Bldg. 173

Analysis Start:

01-Dec-99

Ft. Monmouth, NJ 07703

Analysis Complete:

01-Dec-99

Analysis:

OQA-QAM-025

UST Reg. #:

81515-8

Matrix:

Soil

Closure #:

Analyst:

B.Patel

DICAR #:

Inst. ID.

GC TPHC INST. #1

Injection Volume

1 ul 0.32 mm

Column Type

RTX 5

Column ID

Ext. Meth: Shake

Location #:

Bldg. 2238

Sample	Field ID	Dilution Factor	Weight (g)	% Solid	MDL (mg/kg)	TPHC Result (mg/kg)
4970.01	2238-A	1.00	15.53	91.75	165	ND
4970.02	2238-B	1.00	14.99	83.42	188	ND
4970.03	2238-C	1.00	15.79	88.43	168	ND
4970.04	2238-D	1.00	15.69	83.66	179	ND
4970.05	2238-E Duplicate	1.00	15.23	93.56	165	ND
METHOD BLANK	TBLK287	1.00	15.00	100.00	157	ND

ND = Not Detected

MDL = Method Detection Limit

Daniel K. Wright

Laboratory Director

Response Factor Reporto GC

Method : C:\HPCHEM\1\METHODS\TPH66.M (Chemstation Integrator)

Title : TPHC Calibration 06/05/97 21 peaks

Last Update : Wed Nov 17 14:48:28 1999

Calib	ration Files		4		
100	=T009137.D	50	=T009138.D	20	=T009139.D
10	=T009140.D	5	=T009141.D		•

Compound 100 50 20 10 5 Avg	%RSD
1) tC C8 2.564 2.455 2.647 2.599 2.646 2.582 E4	3.07
2) tC C10 2.605 2.600 2.721 2.834 2.715 2.695 E4	3.60
3) TC C12 2.594 2.590 2.710 2.817 2.833 2.709 E4	4.30
4) tC C14 2.574 2.561 2.696 2.793 2.875 2.700 E4	5.06
5) tC C16 2.583 2.576 2.713 2.829 2.971 2.734 E4	6.16
6) tC C18 2.699 2.599 2.963 2.817 3.006 2.817 E4	6.11
7) tC C20 2.712 2.706 2.838 2.973 3.094 2.865 E4	5.88
8) tC C22 2.754 2.748 2.898 3.040 3.183 2.925 E4	6.42
9) tC C24 2.787 2.778 2.932 3.069 3.207 2.955 E4	6.26
10) tc C26 2.752 2.741 2.899 3.051 3.259 2.940 E4	7.43
11) tC C28 2.742 2.727 2.865 2.982 3.103 2.884 E4	5.55
12) tC C30 2.826 2.804 2.913 3.050 3.153 2.949 E4	5.07
13) tC C32 2.730 2.698 2.755 2.833 2.881 2.779 E4	2.73
14) tC C34 2.709 2.724 2.786 2.839 3.016 2.815 E4	4.39
15) tC C36 2.288 2.331 2.386 2.407 2.550 2.392 E4	4.17
16) tC C38 2.040 2.295 2.361 2.436 2.660 2.358 E4	9.53
17) tC C40 1.509 1.830 1.857 1.896 2.378 1.894 E4	16.43
18) tC c42 1.390 1.737 1.749 1.808 2.407 1.818 E4	20.23
19) TC Pristane 2.788 2.686 2.832 2.995 3.198 2.900 E4	6.91
20) TC Phytane 2.764 2.647 2.881 3.053 3.274 2.924 E4	8.43
21) sC o-terphenyl 3.025 3.001 3.183 3.348 3.491 3.209 E4	6.54
22) tC TPHC - total 2.999 3.013 3.157 3.729 4.416 3.463 E4	17.63

te Continuing Calibration Report

Vid

Data File : C:\HPCHEM\1 91201\T009190.D

Acq On : 1 Dec 1999 2:11 pm

Operator: Bhaskar : Tstd050 Sample Inst : GC/MS Ins Multiplr: 1.00 Misc

IntFile : TPHCINT.E

: C:\HPCHEM\1\METHODS\TPH66.M (Chemstation Integrator) Method

: TPHC Calibration 06/05/97 21 peaks Title

Last Update : Wed Nov 17 14:48:28 1999 Response via : Multiple Level Calibration

: 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min

Max. Rel. Area : 200% Max. RRF Dev: 15%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 tC	C8	25.823	24.775 E3	4.1	101	-0.04
2 tC	C10	26.950	28.388 E3	-5.3	109	0.00
3 TC	C12	27.089	27.727 E3	-2.4	107	0.00
4 tC	C14	26.999	26.815 E3	0.7	105	0.00
5 tC	C16	27.344	26.535 E3	3.0	103	0.00
6 tC	C18	28.171	28.352 E3	-0.6	109	0.00
7 tC	C20	28.647	27.170 E3	5.2	100	0.00
8 tC	C22	29.246	27.756 E3	5.1	101	0.00
9 tC	C24	29.548	27.849 E3	5.7	100	0.00
10 tC	C26	29.402	27.339 E3	7.0	100	0.00
11 tC	C28	28.837	27.091 E3	6.1	99	0.00
12 tC	C30	29.493	27.704 E3	6.1	99	0.00
13 tC	C32	27.794	26.743 E3	3.8	99	0.00
14 tC	C34	28.148	26.741 E3	5.0	98	0.00
15 tC	C36	23.924	23.312 E3	2.6	100	0.00
16 tC	C38	23.584	23.093 E3	2.1	101	0.00
17 tC	C40 ~	18.939	18.883 E3	0.3	103	0.00
18 tC	c42	18.180	17.628 E3	3.0	101	0.00
19 TC	Pristane	28.998	27.968 E3	3.6	104	0.00
20 TC	Phytane	29.238	27.017 E3	7.6	102	0.00
21 sC	o-terphenyl	32.093	31.382 E3	2.2	105	0.00
22 tC	TPHC - total	34.629	29.580 E3	14.6	98	0.61#


Surrogate Recovery Report Army, Fort Monmouth Environmental Labor NJDEP Certification # 13461

Client:	U.S. Army	Lab. ID #:	4970
	DPW. SELFM-PW-EV	Date Rec'd:	01-Dec-99
	Bidg. 173	Analysis Start:	01-Dec-99
	Ft. Monmouth, NJ 07703	Analysis Complete:	01-Dec-99
	•	UST Reg. #:	81515-8
Analysis:	OQA-QAM-025	Closure #:	
Matrix	Soil	DICAR #:	
Analyst:	B.Patel	Injection Volume	1 ul
Inst. ID.	GC TPHC INST. #1	Column ID	0.32 mm
Column Type	RTX 5	Location #:	Bldg. 2238
Ext. Meth:	Shake		

Ext. Meth:	Shake				
Sample			Surrogate Added (ppm)	Amount Recovered (ppm)	Percent Recovery
4970.01			10.00	8.88	88.76
4970.02			10.00	8.45	84.52
4970.03			10.00	8.55	85.54
4970.04			10.00	9.05	90.52
4970.05		-	10.00	8.51	85.08
				•	
				-	
					_
				_	
					
<u></u>					
METHOD BLANK	TBLK285		10.00	8.40	83.95

Surrogate Added:


o-Terphenyl



Client ;		U.S. Army	Lab. ID #::	4970
**		DPW. SELFM-PW-EV	Date Rec'd:	01-Dec-99
***		Bldg. 173	Analysis Start:	01-Dec-99
-		Ft. Monmouth, NJ 07703	Analysis Complete:	01-Dec-99
Analysis:		OQA-QAM-025	UST Reg. #:	81515-8
Matrix:	•	Soil	Closure #:	
Analyst:		B.Patel	DICAR #:	
Inst. ID.		GC TPHC INST. #1	Injection Volume	1 ul
Column Type		RTX:5	Column ID	0.32 mm
Ext. Meth:		Shake	Location #:	Bldg. 2238

Sample	Spike Amount Added (ppm)	Sample Amount (ppm)	Matrix Spike Amount (ppm)		QC Limits
4970.05MS	1000	0.00	718:20	71.82	75-125
4970.05MSD	1000	0.00	739.87	73.99	75-125

RPD	2.97	20.00



Client:	U.S. Army	Lab. ID #:	4970
	DPW. SELFM-PW-EV	Date Rec'd:	01-Dec-99
	Bldg. 173	Analysis Start:	01-Dec-99
	Ft. Monmouth, NJ 07703	Analysis Complete:	01-Dec-99
	•		
Analysis:	OQA-QAM-025	UST Reg. #:	81515-8
Matrix:	Soil	Closure #:	
Analyst:	B.Patel	DICAR #:	
Inst. ID.	GC TPHC INST. #1	Injection Volume	1 ul
Column Type	RTX 5	Column ID	$0.32~\mathrm{mm}$
Ext. Meth:	Shake .	Location #:	Bldg. 2238

Sample	Date Extracted	Spike Amount Added (ppm)	Matrix Spike Amount (ppm)	Percent Recovery	QC Limits
TBLK287BS	1-Dec-99	1000	720.43	72.04	75-125

(OT Reviewed* ntitation Report

Data File : C:\HPCHEM\

\991201\T009191.D 4:33 pm

Acq On : 1 Dec 1999 Operator: Bhaskar : Tblk287 Inst Sample : GC/MS Ins Multiplr: 1.00

Misc

Misc : IntFile : TPHCINT.E

Quant Time: Dec 2 7:44 1999 Quant Results File: TPH66.RES

Quant Method: C:\HPCHEM\1\METHODS\TPH66.M (Chemstation Integrator)

Title : TPHC Calibration 06/05/97 21 peaks

Last Update : Wed Nov 17 14:48:28 1999

Response via : Initial Calibration

DataAcq Meth : TPH66.M

Volume Inj. : 1 ul Signal Phase : HP-5 Signal Info : $30m \times 0.32mm$

Compound Response R.T.

System Monitoring Compounds

12.61 269433 8.395 mg/L 21) sC o-terphenyl 10.000 Range 8 - 13 Recovery = 83.95%# Spiked Amount

Target Compounds

Quantitation Report

Data File : C:\HPCHEM\1 **√**991201\T0**09**191.D

4:33 pm Acq On : 1 Dec 1999

Operator: Bhaskar : Tblk287 Sample Inst : GC/MS Ins Multiplr: 1.00 Misc

: TPHCINT.E IntFile

Quant Time: Dec 2 7:44 1999 Quant Results File: TPH66.RES

Quant Method: C:\HPCHEM\1\METHODS\TPH66.M (Chemstation Integrator)


: TPHC Calibration 06/05/97 21 peaks Title

Last Update : Wed Nov 17 14:48:28 1999 Response via : Multiple Level Calibration

DataAcq Meth : TPH66.M

Volume Inj. : 1 ul Signal Phase: HP-5

Signal Info : $30m \times 0.32mm$



atitation Report

Multiplr: 1.00

Data File : C:\HPCHEM\1

A\991201\T009193.D Acq On : 1 Dec 1999 5:40 pm

Operate: Bhaskar Inst : GC/MS Ins Sample : 4970.01s

IntFile : TPHCINT.E

Misc

Quant Time: Dec 2 7:44 1999 Quant Results File: TPH66.RES

Quant Method : C:\HPCHEM\1\METHODS\TPH66.M (Chemstation Integrator)

Title : TPHC Calibration 06/05/97 21 peaks
Last Update : Wed Nov 17 14:48:28 1999
Response via : Initial Calibration

DataAcq Meth : TPH66.M Volume Inj. : 1 ul Signal Phase : HP-5

Signal Info : $30m \times 0.32mm$

R.T. Response Conc Units Compound

System Monitoring Compounds

12.61 284851 8.876 mg/L 21) sC o-terphenyl 10.000 Range 8 - 13 Recovery = 88.76%# Spiked Amount

Target Compounds

Quantitation Report A\991201\T009193.D Data File : C:\HPCHEM\1\D : 1 Dec 1999 5:40 pm Acq On Operator: Bhaskar Sample : 4970.01s Inst : GC/MS Ins Multiplr: 1.00 Misc : TPHCINT.E IntFile Quant Time: Dec 2 7:44 1999 Quant Results File: TPH66.RES Quant Method : C:\HPCHEM\1\METHODS\TPH66.M (Chemstation Integrator) : TPHC Calibration 06/05/97 21 peaks Title Last Update : Wed Nov 17 14:48:28 1999 Response via : Multiple Level Calibration DataAcq Meth : TPH66.M Volume Inj. : 1 ul Signal Phase : HP-5 Signal Info : $30 \text{m} \times 0.32 \text{mm}$ T009193.D\FID1B 906, onse 38000 36000 34000 32000 30000 28000 26000 24000 22000 20000 18000 16000 14000 12000 10000 8000 6000 4000 2000 0 -2000 4.00 5.00 6.00 7.00 8.00 9.00 10.00 11.00 12.00 13.00 14.00 15.00 16.00 17.00 18.00 19.00 20.00 21.00 22.00 ntitation Report

A\991201\T009194.D

TQ)

Operator: Bhaskar

Multiplr: 1.00

: GC/MS Ins

Inst

Data File : C:\HPCHEM\1_

: 4970.02s Sample

Acq On : 1 Dec 1999 6:14 pm

Misc

IntFile : TPHCINT.E

Quant Time: Dec 2 7:44 1999 Quant Results File: TPH66.RES

Quant Method : C:\HPCHEM\1\METHODS\TPH66.M (Chemstation Integrator)

Title : TPHC Calibration 06/05/97 21 peaks Last Update : Wed Nov 17 14:48:28 1999

Response via : Initial Calibration

DataAcq Meth : TPH66.M

Volume Inj. : 1 ul Signal Phase : HP-5

Signal Info : $30m \times 0.32mm$

R.T. Response Conc Units Compound

System Monitoring Compounds

21) sC o-terphenyl 12.61 271261 8.452 mg/L 10.000 Range 8 - 13 Recovery = 84.52%# Spiked Amount

Target Compounds

Quantitation Report

Operator

Multiplr: 1.00

Inst

: Bhaskar

: GC/MS Ins

..\991201\T009194.D Data File : C:\HPCHEM\1\D.

: 1 Dec 1999 Acq On 6:14 pm

Sample : 4970.02s

Misc : TPHCINT.E IntFile

Quant Time: Dec 2 7:44 1999 Quant Results File: TPH66.RES


Quant Method : C:\HPCHEM\1\METHODS\TPH66.M (Chemstation Integrator)

Title : TPHC Calibration 06/05/97 21 peaks

Last Update : Wed Nov 17 14:48:28 1999 Response via : Multiple Level Calibration

DataAcq Meth : TPH66.M

Volume Inj. : 1 ul Signal Phase : HP 5 Signal Info : 30m x 0.32mm



🗫 ¬titation Report

Inst

Operator: Bhaskar

Multiplr: 1.00

: GC/MS Ins

Data File : C:\HPCHEM\1\D. --\991201\T009195.D

Acq On : 1 Dec 1999 6:48 pm

Sample : 4970.03s

Misc :

IntFile : TPHCINT.E

Quant Time: Dec 2 7:44 1999 Quant Results File: TPH66.RES

Quant Method : C:\HPCHEM\1\METHODS\TPH66.M (Chemstation Integrator)

Title : TPHC Calibration 06/05/97 21 peaks
Last Update : Wed Nov 17 14:48:28 1999

Response via : Initial Calibration

DataAcq Meth : TPH66.M /

Volume Inj. : 1 ul Signal Phase : HP-5

Signal Info : $30m \times 0.32mm$

Compound R.T. Response Conc Units

System Monitoring Compounds

21) sC o-terphenyl

12.61

274512 8.554 mg/L

10.000 Range 8 - 13 Recovery = 85.54%Spiked Amount

Target Compounds

Quantitation Report Data File : C:\HPCHEM\1\D_A\991201\T009195.D : 1 Dec 1999 Acq On 6:48 pm Operator: Bhaskar Sample : 4970.03s Inst : GC/MS Ins Multiplr: 1.00 Misc IntFile : TPHCINT.E Quant Time: Dec 2 7:44 1999 Quant Results File: TPH66.RES Quant Method : C:\HPCHEM\1\METHODS\TPH66.M (Chemstation Integrator) : TPHC Calibration 06/05/97 21 peaks Title Last Update : Wed Nov 17 14:48:28 1999 Response via : Multiple Level Calibration DataAcq Meth : TPH66.M Volume Inj. : 1 ul Signal Phase : HP-5 Signal Info : $30m \times 0.32mm$ T009195.D\FID1B Pesponse, 36000 34000 32000 30000 28000 26000 24000 22000 20000 18000 16000 14000 12000 10000 8000 6000 4000 2000 0 -2000 4:00 5.00 6.00 7.00 8.00 9.00 10.00 11.00 12.00 13.00 14.00 15.00 16.00 17.00 18.00 19.00 20.00 21.00 22.00

Q

antitation Report

Data File : C:\HPCHEM\1\L\A\991201\T009196.D

Acq On : 1 Dec 1999 7:22 pm Operator: Bhaskar : 4970.04s Inst : GC/MS Ins Sample : Multiplr: 1.00 Misc

IntFile : TPHCINT.E

Ouant Time: Dec 2 7:44 1999 Quant Results File: TPH66.RES

Quant Method : C:\HPCHEM\1\METHODS\TPH66.M (Chemstation Integrator)

Title : TPHC Calibration 06/05/97 21 peaks
Last Update : Wed Nov 17 14:48:28 1999

Response via : Initial Calibration

DataAcq Meth : TPH66.M

Volume Inj. : 1 ul. Signal Phase : HP-5

Signal Info : $30m \times 0.32mm$

Compound R.T. Response

System Monitoring Compounds

21) sC o-terphenyl 12.61 290515 9.052 mg/L Spiked Amount 10.000 Range 8 - 13 Recovery = 90.52%#

Target Compounds

000015

1

Quantitation Report

Data File : C:\HPCHEM\1\r \(\alpha\\) 991201\T009196.D

7:22 pm : 1 Dec 1999 Acq On

Operator: Bhaskar Sample : 4970.04s Inst : GC/MS Ins Multiplr: 1.00 Misc

IntFile : TPHCINT.E

Ouant Time: Dec 2 7:44 1999 Quant Results File: TPH66.RES


Quant Method : C:\HPCHEM\1\METHODS\TPH66.M (Chemstation Integrator)

: TPHC Calibration 06/05/97 21 peaks Title

Last Update : Wed Nov 17 14:48:28 1999 Response via : Multiple Level Calibration

DataAcq Meth : TPH66.M

Volume Inj. : 1 ul Signal Phase : HP-5



Contitation Report

Operator: Bhaskar

Multiplr: 1.00

Inst : GC/MS Ins

1\991201\T009197.D Data File : C:\HPCHEM\1\.

Acq On : 1 Dec 1999 7:56 pm

: 4970.05s Sample

Misc IntFile : TPHCINT.E

Ouant Time: Dec 2 7:44 1999 Quant Results File: TPH66.RES

Quant Method: C:\HPCHEM\1\METHODS\TPH66.M (Chemstation Integrator)

Title : TPHC Calibration 06/05/97 21 peaks
Last Update : Wed Nov 17 14:48:28 1999

Response via : Initial Calibration

DataAcq Meth : TPH66.M

Volume Inj. : 1 ul

Signal Phase: HP-5.
Signal Info: 30m. x 0.32mm

R.T. Response Conc Units Compound

. .

. •

System Monitoring Compounds

273048 8.508 mg/L 21) sC o-terphenyl 12.61 10.000 Range 8 - 13 Recovery = 85.08%# Spiked Amount

Target Compounds

Quantitation Report : C:\HPCHEM\1\._A\991201\T009197.D : 1 Dec 1999 7:56 pm Acq On Operator: Bhaskar : 4970.05s Inst Sample : GC/MS Ins Misc Multiplr: 1.00 : TPHCINT.E IntFile Quant Time: Dec 2 7:44 1999 Quant Results File: TPH66.RES Quant Method : C:\HPCHEM\1\METHODS\TPH66.M (Chemstation Integrator) : TPHC Calibration 06/05/97 21 peaks Title Last Update : Wed Nov 17 14:48:28 1999 Response via : Multiple Level Calibration DataAcq Meth : TPH66.M Volume Inj. : 1 ul Signal Phase : HP-5 Signal Info : 30m x 0.32mm T009197, D\FID18 36000 34000 32000 30000 28000 26000 24000 22000 20000 18000 16000 14000 12000 10000 8000 6000 4000 2000 -2000 4.00 5.00 6.00 7.00 8.00 9.00 10.00 11.00 12.00 13.00 14.00 15.00 16.00 17.00 18.00 19.00 20.00 21.00 22.00

LABORATORY DELIVERABLES CHECKLIST AND NON-CONFORMANCE SUMMARY

THIS FORM MUST BE COMPLETED BY THE LABORATORY OR ENVIRONMENTAL CONSULTANT AND ACCOMPANY ALL DATA SUBMISSIONS

The following Laboratory Deliverables shecklist and Non-Conformance Summary shall be included in the data submission. All deviations from the accepted methodology and procedures, of performance values outside acceptable ranges shall be summarized in the Non-Conformance Summary. The Technical Requirements for Site Remediation, effective June 7, 1993, provides further details. The document shall be bound so a paginated, contain a table of contents, and all pages shall be legible. Incomplete packages will be returned or held without review until the data package is completed.

It is recommended that the analytical results summary sheets listing all targeted and non-targeted compounds with the method detection limits, practical quantitation limits, and the laboratory and/or sample numbers be included in one section of the data package and in the main body of the report.

1.	Cover page, Title Page listing Lab Certification #, facility name and address, & date of report submitted	
2.	Table of Contents submitted	
3.	Summery Sheets listing analytical results for all targeted and non-targeted compounds submitted	
4.	Document paginated and legible	~
5 .	Chain of Custody submitted	<u> </u>
6 .	Samples submitted to lab within 48 hours of sample collection	
7.	Methodology Summary submitted	V
8.	Laboratory Chronicle and Holding Time Check submitted	
9.	Results submitted on a dry weight basis	
10.	Method Detection Limits submitted	
11.	Lab certified by NJDEP for parameters of appropriate category of parameters or a member of the USEPA CLP	
	orstory Manager or Environmental Consultant's Signature	\rightarrow

*Refer to NJAC 7:26E - Appendix A, Section IV - Reduced Data Deliverables - Non-USEPA/CLP Methods for further guidance.

Laboratory Certification #13461

Laboratory Authentication Statement

I certify under penalty of law, where applicable, that this laboratory meets the Laboratory Performance Standards and Quality Control requirements specified in N.J.A.C. 7:18 and 40 CFR Part 136 for Water and Wastewater Analyses and SW-846 for Solid Waste Analysis. I have personally examined the information contained in this report and to the best of my knowledge, I believe that the submitted information is true, accurate, complete and meets the above referenced standards where applicable. I am aware that there are significant penalties for purposefully submitting falsified information, including the possibility of a fine and imprisonment.

Daniel K. Wright Laboratory Manager