United States Army

Fort Monmouth, New Jersey

Underground Storage Tank Closure and Site Investigation Report

Building 2504B Charles Wood Area

NJDEP UST Registration No. 0081515-16

December 1997

UNDERGROUND STORAGE TANK CLOSURE AND SITE INVESTIGATION REPORT

BUILDING 2504B

CHARLES WOOD AREA NJDEP UST REGISTRATION NO. 0081515-16

DECEMBER 1997

PREPARED FOR:

UNITED STATES ARMY, FORT MONMOUTH, NEW JERSEY
DIRECTORATE OF PUBLIC WORKS
BUILDING 167
FORT MONMOUTH, NJ 07703

PREPARED BY:

SMC ENVIRONMENTAL SERVICES GROUP 501 ALLENDALE ROAD KING OF PRUSSIA, PA 19406

PROJECT NO. 2429-3080

TABLE OF CONTENTS

EXECUTIVE SUMMARY	iv
1.0 UNDERGROUND STORAGE TANK DECOMMISSIONING ACTIVITIES 1.1 OVERVIEW 1.2 SITE DESCRIPTION	1 1 2
1.2.1 Geological/Hydrogeological Setting	2
1.3 HEALTH AND SAFETY 1.4 REMOVAL OF UNDERGROUND STORAGE TANK	4 4
1.4.1 General Procedures 1.4.2 Underground Storage Tank Excavation and Cleaning	4 4
1.5 UNDERGROUND STORAGE TANK TRANSPORTATION AND DISPOSAL 1.6 MANAGEMENT OF EXCAVATED SOILS	5 5
2.0 SITE INVESTIGATION ACTIVITIES	6
2.1 OVERVIEW 2.2 FIELD SCREENING/MONITORING 2.3 SOIL SAMPLING	6 6 6
3.0 CONCLUSIONS AND RECOMMENDATIONS	8
3.1 SOIL SAMPLING RESULTS 3.2 CONCLUSIONS AND RECOMMENDATIONS	8

TABLE OF CONTENTS (CONTINUED)

TABLES

Table 1 Summary of Post-Excavation Sampling Activities

Table 2 Post-Excavation Soil Sampling Results

FIGURES

Figure 1 Site Location Map

Figure 2 Site Map

Figure 3 Cross Sectional View

Figure 4 Soil Sampling Location Map

APPENDICES

Appendix A NJDEP-BUST Closure Approval Letter

Appendix B Site Assessment Summary

Appendix C Waste Manifest

Appendix D UST Disposal Certificate

Appendix E Soil Analytical Data Package
Appendix F Photographs-NOT AVAILABLE

EXECUTIVE SUMMARY

UST Closure

On May 13, 1997, a steel underground storage tank (UST) was closed by removal in accordance with the New Jersey Department of Environmental Protection (NJDEP) Closure Approval Letter dated July 18, 1995 at the Charles Wood area of the U.S. Army Fort Monmouth, Fort Monmouth, New Jersey. The UST, NJDEP Registration No. 0081515-16 (Fort Monmouth ID No. 2504B), was located west of Building 2504B in the Charles Wood area of U.S. Army, Fort Monmouth. UST No. 0081515-16 was a 1,000-gallon No. 2 fuel oil UST. The UST fill port was located directly above the tank.

Site Assessment

The site assessment was performed by U.S. Army personnel in accordance with the NJDEP *Technical Requirements for Site Remediation* (N.J.A.C. 7:26E) and the NJDEP *Field Sampling Procedures Manual*. The sampling and laboratory analysis conducted during the site assessment were performed in accordance with Section 7:26E-2.1 of the *Technical Requirements for Site Remediation*. Soils surrounding the tank were screened visually and with air monitoring equipment for evidence of contamination. Following removal, the UST was inspected for corrosion holes. No holes were noted in the UST and no evidence of potentially contaminated soils was observed surrounding the tank. Samples contained levels of TPHC ranging in concentration from non-detected to 398.70 mg/kg.

Site Restoration

Following receipt of all post-excavation soil sampling results, the excavation was backfilled to grade with native topsoil and restored to its original condition.

Conclusions and Recommendations

Based on the post-excavation soil sampling results, soils with TPHC concentrations exceeding the NJDEP soil cleanup criteria for total organic contaminants of 10,000 mg/kg, do not exist in the former location of the UST or associated piping.

No further action is proposed in regard to the closure and site assessment of UST No. 0081515-16 at Building 2504B.

1.0 UNDERGROUND STORAGE TANK DECOMMISSIONING ACTIVITIES

1.1 OVERVIEW

One underground storage tank (UST), New Jersey Department of Environmental Protection (NJDEP) Registration No. 0081515-16, was closed at Building 2504B at the Charles Wood area of U.S. Army Fort Monmouth, Fort Monmouth, New Jersey on May 13, 1997. Refer to site location map on Figure 1. This report presents the results of the Department of Public Works' (DPW) implementation of the UST Decommissioning/Closure Plan approved by the NJDEP on July 18, 1995. The UST was a steel 1,000-gallon tank containing No. 2 fuel oil.

Decommissioning activities for UST No. 0081515-16 complied with all applicable Federal, State and Local laws and ordinances in effect at the date of decommissioning. These laws included but were not limited to N.J.A.C. 7:14B-1 et seq., N.J.A.C. 5:23-1 et seq., and Occupational Safety and Health Administration (OSHA) 1910.146 & 1910.120. All permits including but not limited to the NJDEP-approved Decommissioning/Closure Plan were posted onsite for inspection. The decommissioning activities were conducted by DPW personnel who are registered and certified by the NJDEP for performing UST closure activities. Closure of UST No. 0081515-16 proceeded under the approval of the NJDEP Bureau of Underground Storage Tanks (NJDEP-BUST). The NJDEP-BUST Closure Approval Letter and signed Site Assessment Summary form for UST No. 0081515-16 are included in Appendices A and B, respectively.

Based on inspecting the UST, field screening of subsurface soils, and reviewing analytical results of collected soil samples, the DPW has concluded that no significant historical discharges are associated with the UST or associated piping.

This UST Closure and Site Investigation Report has been prepared by SMC Environmental Services Group, to assist the United States Army DPW in complying with the NJDEP-BUST regulations. The applicable NJDEP-BUST regulations at the date of closure were the *Interim Closure Requirements* for *Underground Storage Tank Systems* (N.J.A.C. 7:14B-1 et seq. October 1990 and revisions dated November 1, 1991).

This report was prepared using information collected at the time of closure. Section 1 of this UST Closure and Site Investigation Report provides a summary of the UST decommissioning activities. Section 2 of this report describes the site investigation activities. Conclusions and recommendations, including the results of the soil sampling investigation, are presented in the final section of this report.

1.2 SITE DESCRIPTION

Building 2504B is located in the Charles Wood area of the Fort Monmouth Army Base, as shown on Figure 1. UST No. 0081515-16 was located west of Building 2504B and appurtenant copper piping ran approximately eleven (11) feet south from the excavation to the mechanical room abutting Building 2504B. The fill port area was located directly above the tank. A site map is provided on Figure 2.

1.2.1 Geological/Hydrogeological Setting

The following is a description of the geological/hydrogeological setting of the area surrounding Building 2504B. Included is a description of the regional geology of the area surrounding Fort Monmouth as well as descriptions of the local geology and hydrogeology of the Charles Wood area.

Regional Geology

Monmouth County lies within the New Jersey Section of the Atlantic Coastal Plain physiographic province. The Main Post, Charles Wood, and the Evans areas are located in what may be referred to as the Outer Coastal Plain subprovince, or the Outer Lowlands.

In general, New Jersey Coastal Plain formations consist of a seaward-dipping wedge of unconsolidated deposits of clay, silt, and gravel. These formations typically strike northeast-southwest with a dip ranging from 10 to 60 feet per mile and were deposited on Precambrian and lower Paleozoic rocks (Zapecza, 1989). These sediments, predominantly derived from deltaic, shallow marine, and continental shelf environments, date from Cretaceous through the Quaternary Periods. The mineralogy ranges from quartz to glauconite.

The formations record several major transgressive/regressive cycles and contain units which are generally thicker to the southeast and reflect a deeper water environment. Over 20 regional geologic units are present within the sediments of the Coastal Plain. Regressive, upward coarsening deposits are usually aquifers (e.g., Englishtown and Kirkwood Formations, and the Cohansey Sand) while the transgressive deposits act as confining units (e.g., the Merchantville, Marshalltown, and Navesink Formations). The individual thicknesses for these units vary greatly (i.e., from several feet to several hundred feet). The Coastal Plain deposits thicken to the southeast from the Fall Line to greater than 6,500 feet in Cape May County (Brown and Zapecza, 1990).

Local Geology

Note

Based on the regional geologic map (Jablonski, 1968), the Cretaceous age Red Bank and Tinton Sands outcrop at the Charles Wood area. The Red Bank sand conformably overlies the Navesink Formation and dips to the southeast at 35 feet per mile. The upper member (Shrewsbury) of the Red Bank sand is a yellowish-gray to reddish brown clayey, medium-to-coarse-grained sand that contains abundant rock fragments, minor mica and glauconite (Jablonski). The lower member (Sandy Hook) is a dark gray to black, medium-to-fine grained sand with abundant clay, mica, and

glauconite.

The Tinton sand conformably overlies the Red Bank Sand and ranges from a clayey medium to very coarse grained feldspathic quartz and glauconite sand to a glauconitic coarse sand. The color varies from dark yellowish orange or light brown to moderate brown and from light olive to grayish olive. Glauconite may constitute 60 to 80 percent of the sand fraction in the upper part of the unit (Minard, 1969). The upper part of the Tinton is often highly oxidized and ironoxide encrusted (Minard).

Over the last 80 years, the natural topography of Fort Monmouth has been altered by excavation and filling activities by the military. Topographic elevations for the Charles Wood area range from 20 feet above mean seal level (MSL) to 71 feet above MSL.

Hydrogeology

The water table aquifer in the Charles Wood area is identified as part of the "composite confining units", or minor aquifers. The minor aquifers include the Navesink formation, Red Bank Sand, Tinton Sand, Hornerstown Sand, Vincentown Formation, Manasquan Formation, Shark River Formation, Piney Point Formation, and the basal clay of the Kirkwood Formation.

Six well records for monitor wells installed at locations within the Charles Wood area in February 1981 were used for reference. The wells were completed to total depths ranging from 20 to 25 feet below ground surface (bgs). Water was encountered at depths ranging from 5 to 12 feet bgs.

The lithologic descriptions for these borings described deposits that were primarily fine to coarse, glauconitic sands, with traces of gravel, silt, and clay. These sediments are part of the Hornerstown Marl, from the Tertiary Period (Paleocene Series, approximately 58 to 66 Ma). According to Jablonski, wells drilled in the Red Bank and Tinton Sands may produce from 2 to 25 gallons per minute (gpm). Some well owners have reported acidic water that requires treatment to remove iron.

Shallow groundwater is locally influenced within the Charles Wood area by the following factors:

- tidal influence (based on proximity to the Atlantic Ocean, rivers, and tributaries)
- topography

North

- nature of the fill material within the Charles Wood area
- presence of clay and silt lenses in the natural overburden deposits
- local groundwater recharge areas (i.e., streams, lakes)

Due to the fluvial nature of the overburden deposits (i.e., sand and clay lenses), shallow groundwater flow direction is best determined on a case-by-case basis. Building 2504B is located, approximately 100 feet north of Wampum Brook, the nearest water body. Based on the Charles Wood area topography, the groundwater flow in the area of Building 2504B is anticipated to be to the southeast.

1.3 HEALTH AND SAFETY

Before, during, and after all decommissioning activities, hazards at the work site which may have posed a threat to the Health and Safety of all personnel who were involved with, or were affected by, the decommissioning of the UST system were minimized. All areas, which posed, or may have been suspected to pose a vapor hazard were monitored by a qualified individual utilizing an organic vapor analyzer (OVA). The individual ascertained if the area was properly vented to render the area safe, as defined by OSHA.

1.4 REMOVAL OF UNDERGROUND STORAGE TANK

1.4.1 General Procedures

- All underground obstructions (utilities, etc.) were identified by the contractor performing the closure prior to excavation activities.
- All activities were carried out with the greatest regard to safety and health and the safeguarding of the environment.
- All excavated soils were visually examined and screened with an OVA for evidence of contamination. Potentially contaminated soils were identified and logged during closure activities.
- Surface materials (i.e., asphalt, concrete, etc.) were excavated and staged separately from all soil and recycled in accordance with all applicable regulations and laws.
- A Sub-Surface Evaluator from the DPW was present during all site assessment activities.

1.4.2 Underground Storage Tank Excavation and Cleaning

Prior to UST decommissioning activities, surficial soil was removed to expose the UST and associated piping. All free product present in the piping was drained into the UST, and the UST was purged to remove vapors prior to cutting and removal of the piping. After removal of the associated piping, a hole was made in the UST to allow for proper cleaning. The UST was completely emptied of all liquids prior to removal from the ground. Approximately 100 gallons of liquid from the UST and its associated piping were transported to the Fort Monmouth waste oil holding facility. Refer to Appendix C for a copy of the waste manifest.

The UST was cleaned prior to removal from the excavation in accordance with the NJDEP-BUST regulations. After the UST was removed from the excavation, it was staged on polyethylene sheeting and examined for holes. No holes or punctures were observed during the inspection by the Sub-Surface Evaluator. Soils surrounding the UST were screened visually and with an OVA for evidence of contamination. No evidence of contamination was observed. Soil screening was also performed along the piping associated with the UST. No contamination was noted anywhere along the piping length. See Figure 3 for a cross-sectional view of the excavated area.

1.5 UNDERGROUND STORAGE TANK TRANSPORTATION AND DISPOSAL

The steel tank was transported to Mazza & Sons, Inc. for disposal in compliance with all applicable regulations and laws. See Appendix D for a copy of the UST disposal certificate and Appendix F for photographs of the UST.

The UST was labeled prior to transport with the following information:

- Site of origin
- Contact person
- NJDEP UST Facility ID number
- Former Contents

5.4

1.6 MANAGEMENT OF EXCAVATED SOILS

Based on OVA air monitoring and TPHC analysis results from the post-excavation soil samples, no soils exhibited signs of contamination. Therefore, the excavated soils were used as backfill following removal of the UST.

2.0 SITE INVESTIGATION ACTIVITIES

2.1 OVERVIEW

Neide

The Site Investigation was managed and carried out by U.S. Army DPW personnel. All analyses were performed and reported by U.S. Army Fort Monmouth Environmental Laboratory, a NJDEP-certified testing laboratory. All sampling was performed under the direct supervision of a NJDEP Certified Sub-Surface Evaluator according to the methods described in the NJDEP Field Sampling Procedures Manual (1992). Sampling frequency and parameters analyzed complied with the NJDEP-BUST document Interim Closure Requirements for Underground Storage Tank Systems (October 1990 and revisions dated November 1, 1991) which was the applicable regulation at the date of the closure. All records of the Site Investigation activities are maintained by the Fort Monmouth DPW Environmental Office.

The following Parties participated in Closure and Site Investigation Activities:

• Subsurface Evaluator: Eugene W. Lesinski Employer: U.S. Army, Fort Monmouth

Phone Number: (908) 532-0989 NJDEP Certification No.: 0014537

Analytical Laboratory: U.S. Army Fort Monmouth Environmental Laboratory

Contact Person: Daniel K. Wright Phone Number: (908) 532-4359

NJDEP Company Certification No.: 13461

2.2 FIELD SCREENING/MONITORING

Field screening was performed by a NJDEP Certified Sub-Surface Evaluator using an OVA and visual observations to identify potentially contaminated material. Soil excavated from around the tank and appurtenant piping, as well as the UST excavation sidewalls and bottom, did not exhibit any evidence of potential contamination.

2.3 SOIL SAMPLING

On May 13, 1997, following the removal of the UST, post-excavation soil samples A, B, C, D, E, F, G, and DUP D were collected from a total of seven (7) locations of the UST excavation. Samples A, B, and C were collected along the centerline of the excavation floor at a depth of 6.0 feet bgs. Sidewall samples D, E, and DUP D were collected at a depth of 5.5 feet bgs. Samples F and G were collected along the former piping length of the excavation, which was approximately eleven (11) feet in length. The piping samples were collected at a depth of 1.0 feet bgs. All samples were analyzed for total petroleum hydrocarbons (TPHC) and total solids.

U.S. Army personnel in accordance with the NJDEP Technical Requirements and the NJDEP Field Sampling Procedures Manual performed the site assessment. A summary of sampling activities including parameters analyzed is provided in Table 1. The post-excavation soil samples were collected using NJDEP *Field Sampling Procedures Manual* (1992) standard sampling procedures. Following soil sampling activities, the samples were chilled and delivered to U.S. Army Fort Monmouth Environmental Laboratory located in Fort Monmouth, New Jersey, for analysis.

3.0 CONCLUSIONS AND RECOMMENDATIONS

3.1 SOIL SAMPLING RESULTS

To evaluate soil conditions following removal of the UST and associated piping, post-excavation soil samples were collected from a total of seven (7) locations on May 13, 1997. All samples were analyzed for TPHC and total solids. The post-excavation sampling results were compared to the NJDEP residential direct contact total organic contaminants soil cleanup criteria of 10,000 mg/kg (N.J.A.C. 7:26D and revisions dated February 3, 1994). A summary of the analytical results and comparison to the NJDEP soil cleanup criteria is provided in Table 2 and the soil sampling locations are shown on Figure 4. The analytical data package is provided in Appendix E.

All post-excavation soil samples collected on May 13, 1997, from the UST excavation and from below piping associated with the UST contained concentrations of TPHC below the NJDEP soil cleanup criteria. Samples contained levels of TPHC ranging in concentration from non-detected to 398.70 mg/kg.

3.2 CONCLUSIONS AND RECOMMENDATIONS

The analytical results for all post-excavation soil samples collected from the UST closure excavation at Building 2504B were below the NJDEP soil cleanup criteria for total organic contaminants.

Based on the post-excavation sampling results, soils with TPHC concentrations exceeding the NJDEP soil cleanup criteria for total organic contaminants of 10,000 mg/kg, do not exist in the former location of the UST or associated piping.

No further action is proposed in regard to the closure and site assessment of UST No. 0081515-16 at Building 2504B.

TABLES

TABLE 1

SUMMARY OF POST-EXCAVATION SAMPLING ACTIVITIES
BUILDING 2504B, CHARLES WOOD AREA
FORT MONMOUTH, NEW JERSEY

Page 1 of 1

Sample ID	Date of Collection	Date Analysis Started	Matrix	Sample Type	Analytical Parameters*	NJDEP Method
Α	5/13/97	5/15/97	Soil	Post-Excavation	TPHC	OQA-QAM-025
В	5/13/97	5/15/97	Soil	Post-Excavation	TPHC	OQA-QAM-025
С	5/13/97	5/15/97	Soil	Post-Excavation	TPHC	OQA-QAM-025
D	5/13/97	5/15/97	Soil	Post-Excavation	TPHC	OQA-QAM-025
E	5/13/97	5/15/97	Soil	Post-Excavation	TPHC	OQA-QAM-025
F	5/13/97	5/15/97	Soil	Post-Excavation	TPHC	OQA-QAM-025
G	5/13/97	5/15/97	Soil	Post-Excavation	TPHC	OQA-QAM-025
DUP D	5/13/97	5/15/97	Soil	Post-Excavation	TPHC	OQA-QAM-025

Note:

^{*} TPHC Total Petroleum Hydrocarbons

TABLE 2 POST-EXCAVATION SOIL SAMPLING RESULTS BUILDING 2504B, CHARLES WOOD AREA FORT MONMOUTH, NEW JERSEY

Page 1 of 1

1 mB 0 1 01 1									
Sample ID/ Depth	Sample Laboratory ID	Sample Date	Analysis Date	Analytical Method Used	Sample Quantitation Limit (mg/kg)	Compound of Concern	Results (mg/kg) *	NJDEP Soil Cleanup Criteria ** (mg/kg)	Exceeds Cleanup Criteria
A/6.0'	2523.01	5/13/97	5/15/97	Total Solid			89.19 %		
				TPHC	175	yes	398.70	10,000	No
B/6.0'	2523.02	5/13/97	5/15/97	Total Solid			81.06 %		***
				TPHC	191	yes	ND	10,000	No
C/6.0°	2523.03	5/13/97	5/15/97	Total Solid			79.22 %		
				TPHC	194	yes	ND	10,000	No
D/5.5'	2523.04	5/13/97	5/15/97	Total Solid			83.49 %		
				TPHC	182	yes	ND	10,000	No
E/5.5'	2523.05	5/13/97	5/15/97	Total Solid		***	84.27 %		
				TPHC	183	yes	ND	10,000	No
F/1.0'	2523.06	5/13/97	. 5/15/97	Total Solid			87.53 %		
				TPHC	176	yes	ND	10,000	No
G/1.0'	2523.07	5/13/97	5/15/97	Total Solid			84.12 %		
				TPHC	182	yes	200.07	10,000	No
DUP D/ 5.5'	2523.08	5/13/97	5/15/97	Total Solid			85.44 %		
				TPHC	180	yes	ND	10,000	No

Note:

Total solid results are expressed as a percentage.


NJDEP Residential Direct Contact soil cleanup criteria for total organics


Not Detected above stated sample quantitation limit **

ND

-- Not applicable
TPHC Total Petroleum Hydrocarbons

FIGURES








FIGURE 3
CROSS SECTIONAL VIEW
BUILDING 2504B
FORT MONMOUTH ARMY BASE
MONMOUTH COUNTY, NJ




SMC ENVIRONMENTAL SERVICES GROUP

Engineers, Managers, Scientists & Planners VALLEY FORGE, PA.

SCALE: NTS

DATE: OCT. 1997



APPENDIX A

NJDEP-BUST CLOSURE APPROVAL



State of New Jersey

Christine Todd Whitman Governor

Department of Environmental Protection

Robert C. Shinn, Jr. Commissioner

JUL 18 1995

Mr. Dinker Desai SELFM-EH-EV Department of the Army Headquarters CECOM Fort Monmouth Fort Monmouth, NJ 077703-5000

Dear Mr. Desai:

Re:

UST Closure Plan Approvals

Fort Monmouth Army Base

Fort Monmouth, Monmouth County

The NJDEP has reviewed the Underground Storage Tank Closure Plans for eight Number 2 Fuel Oil underground storage tanks located on the Fort Monmouth Army Base. Based on this review, the NJDEP hereby approves the closure plans as submitted on June 21, 1995 for the following tanks:

AREA	REGISTRATION NO.	BLDG NO.	UST NO.	TANK SAMP	LINE SAMP	REMOVAL DATE	REPORT DATE
CW - West	0081515	2504	16	4/1	1	7/24/95	11/24/95
CW - West	0081515	2529	20	4/1	1	7/25/95	11/29/95
CW - West	0081515	2535	25	4/1	1 .	7/26/95	11/28/95
CW - West	0081515	2536	26	4/1	2	7/28/95	11/30/95
CW - West	0081515	2537	27	4/1	1	8/1/95	12/4/95
CW - West	0081515	2561	31	4/1	2	8/2/95	12/4/95
CW - West	0081515	2532	22	4/1	1_	6/5/95	10/6/95
CW - West	0081515	2533	23	4/1	2	6/7/95	10/9/95

Please advise me regarding the progress of tanks 22 and 23.

If you should have any questions or require any additional information, please feel free to contact me at (609) 633-1455.

lan R. Curtis, Case Manager

Bureau of Federal Case Management

cc. Kevin Kratina, BUST

APCE\BECM\FTMMTH27.IRC

New Jersey is an Equal Opportunity Employer Recycled Paper



State of New Jersey Department of Environmental Protection and Energy Division of Responsible Party Site Remediation CN 028

Trenton. NJ 08625-0029

ATTN: UST Program (609) 984-3156

For State	Use Only
Date Rec'd.	
Auth. Routing	
JST NO.	

-	ANDARD REDORENC FORM	
- ·	ANDARD REPORTING FORM conting activities at an UST facility:	
General Facility Informat X Closure (Abandonment of Temporary Closure Change in Service		ility i
Check ONLY One Ty	pe of Activity - Complete Form For That Activity	
(More that	an one tank can be listed per activity)	
	NEW tank installations at existing registered a Registration Questionnaire for the new tanks.	
Answer questions 1 through 5 and others as ap	oplicable.	
Company name and address (as it appears on registration questionnaire):	U.S. ARYY - FORT MONYO DPW - BUILDING 173 FORT MONHOUTH NJ ATTN: EUGENE W. L	07703 ESINSKI
2. Facility name and location (if different from above):		
3. Contact person for this activity:	GENE LESINSKI Telephone Number: (908) 532	-0989
4. The identification number of the affected ta	trik as it appears in Question Number 12 on the Reg	ristration Questionnaire
5. Registration Number (If known):	ust - 108/5/5	
6. For GENERAL FACILITY INFORMATION CHE	nges (address, telephone, contact person, etc. – suppl	y NEW information only):
a. Facility name: b. Facility location: c. Owner's mailing address:		M#
d. Block: Lot: e. Contact person (facility operator): f. Contact telephone number: (g. Other (Specify):	<u> </u>	
	(OVER)	••

		/ /	Caca	No:		17.
Attach the ne	cessary implementat				needed for	from the
abandonmen	n per N.J.A.C. 7:148.	9.1 (d).	•		• •	5.92°
b. 🕱 Removal	Date: _5_1_1	13/9/	Case No.			
Attach the ne	cessary implementat	ion schedule (3 ca	opies).			3
	N HAZARDOUS SUE		•		•	
substances; l	y Closure (12 month leave tank in place.					
and site asse	n service from a regulation regulation as re	or NJA.C. 7:14B-	9.1(e).	,		·.
*	In service from one n	_		_		•
	Old					
Tank No	Old			New		
140	(Affac	h additional sheet	ts If more soa	ce is needed)		
FORTRANSFER	OF OWNERSHIP:		•	•		
a. New Owner	(operator)	Effective i			- .	
b. New Facility	Name					
•			·-			
				N	*	
				<u> </u>		•
c. Closing Attor		County	•	Tole:		-
~.	AL MODIFICATIONS					
	TNANCIAL RESPON	SIBILITY to (cher				
:	a. Policy Type: b. Policy Number: 1 c. Other:	ď.	. Company/	Carrier: 🛘	uttach copies of n	ew irdormati k
:	a. Policy Type: b. Policy Number: 1	ď.	. Company/	Carrier: 🛘	ittach copies of n	ew kdomatk
:	a. Policy Type: b. Policy Number: c. Other:	d. e.	. Company/	Carrier: 🛘	ittach copies of n	ew kdomatk
	a. Policy Type: b. Policy Number: 1	ď.	. Company/	Carrier: 🛘	uttach copies of n	ew kdomi
NOTE: ALL appro	a. Policy Type: b. Policy Number: c. Other:	(Specity) e permits, license cies must be obta	. Company/	Carrier: [] Date: [] sates required b	by the above act	
NOTE: ALL approposal, state	a. Policy Type: b. Policy Number: c. Other: priste and applicable and/or lederal agent	(Specify) e permits, license cies must be obta	Expiration Expiration s and certification	Carrier: Date: Extes required to add from this not	by the above acti	ivity(ies) tron
NOTE: ALL approjects, state	a. Policy Type: b. Policy Number: c. Other: priste and applicable and/or lederal agent	(Specify) e permits, license cies must be obta	Expiration Expiration s and certification	Carrier: Date: Extes required to add from this not	by the above acti	ivity(ies) tron
NOTE: ALL approposal, state This registration facility (N.J.A.C. 7:14	a. Policy Type: b. Policy Number: c. Other: priste and applicable and/or federal agen form shall be signed 48-23 (a) 1).*** alty of law that the in	(Specify) e permits, license cies must be obtained by the highest ration provide	Expiration Expiration s and certification timed separate TIFICATION Inking Individual	Date: Date:	y the above actification. y with overall res	ivity(ies) from
NOTE: ALL approposal, state This registration facility (N.J.A.C. 7:1- Tigerify under penalitial there are significant	a. Policy Type: b. Policy Number: c. Other: prizte and applicable and/or federal agen form shall be signed 48-23 (a) 1).*** alty of law that the inficant civil and crimin	(Specify) e permits, license cies must be obtained by the highest ration provide	Expiration Expiration s and certification timed separate TIFICATION Inking Individual	Date: Date:	y the above actification. y with overall res	ivity(ies) from
NOTE: ALL approposal, state This registration facility (N.J.A.C. 7:14	a. Policy Type: b. Policy Number: c. Other: prizte and applicable and/or federal agen form shall be signed 48-23 (a) 1).*** alty of law that the inficant civil and crimin	(Specify) e permits, license cies must be obta CERT by the highest ra formation provide sal penalties for sale	Expiration Expiration s and certification timed separate TIFICATION Inking Individual	Date: Date:	y the above actification. y with overall res	ivity(ies) from
NOTE: ALL approportion focal, state This registration facility (N.J.A.C. 7:1-4) T certify under penalitat there are signal fines and/or imprison Signature:	a. Policy Type: b. Policy Number: c. Other: priste and applicable and/or federal agent form shall be signed 48-23 (a) 1).*** alty of law that the inficant civil and crimin mment.*	(Specity) e permits, license cies must be obta CERT by the highest ration provide pal penalties for s	Expiration Expiration s and certification timed separate TIFICATION Inking Individual	Date: Date:	y the above actification. y with overall res	ivity(ies) from
NOTE: ALL approporation of tacility (N.J.A.C. 7:14) Togethly under penalitat there are significates and/or imprisor Signature: Name (print or type	a. Policy Type: b. Policy Number: 1 c. Other: priste and applicable and/or federal agen form shall be signed 48-23 (a) 1). alty of law that the inficant civil and crimin mment.	(Specify) e permits, license cies must be obta CERT by the highest ra formation provide pal penalties for se	Expiration Expiration as and certification anking individual in this docubruitting fals ULL	Date: [] Dat	y the above actification. y with overall res	ivity(ies) from
NOTE: ALL approportion focal, state This registration facility (N.J.A.C. 7:1-4) Tigentify under penalihat there are signal fines and/or imprison Signature:	a. Policy Type: b. Policy Number: 1 c. Other: priste and applicable and/or federal agen form shall be signed 48-23 (a) 1). alty of law that the inficant civil and crimin mment.	(Specity) e permits, license cies must be obta CERT by the highest ration provide pal penalties for s	Expiration Expiration as and certification anking individual in this docubruitting fals ULL	Date: [] Dat	y the above actification. y with overall res	ivity(ies) from
NOTE: ALL approposation of tacility (N.J.A.C. 7:14) Tocility (N.J.A.C. 7:14) Tocility under penalihat there are significates and/or imprisor Signature: Name (print or type Tale: Di Cacaa	a. Policy Type: b. Policy Number: 1 c. Other: priste and applicable and/or federal agen form shall be signed 48-23 (a) 1). alty of law that the inficant civil and crimin mment.	(Specify) e permits, license cies must be obta CERT by the highest ra formation provide pal penalties for se	Expiration Expiration as and certification anking individual in this docubruitting fals ULL	Date: [] Dat	y the above actification. y with overall res	ivity(ies) from
NOTE: ALL approplaced, state This registration of tacility (NJAC. 7:14) To certify under penalitial there are significates and/or imprisor signature: Name (print or type	a. Policy Type: b. Policy Number: 1 c. Other: priste and applicable and/or federal agen form shall be signed 48-23 (a) 1). alty of law that the inficant civil and crimin mment.	(Specify) e permits, license cies must be obta CERT by the highest ra formation provide pal penalties for se	Expiration Expiration as and certification anking individual in this docubruitting fals ULL	Date: [] Dat	y the above actification. y with overall res	ivity(ies) from

u-111-0

APPENDIX B SITE ASSESSMENT SUMMARY

OR STATE USE ONLY	•
JST#	
Date Rec'd	
MS#	
Staff	

STATE OF NEW JERSEY **DEPARTMENT OF ENVIRONMENTAL PROTECTION**

Division of Responsible Party Site Remediation CN 029 TRENTON, N.J. 08625-0028

Scott A. Weiner Commisioner

Tel. # 609-984-3156 Fax.# 609-292-5604

Karl J. Delaney Director

UNDERGROUND STORAGE TANK SITE ASSESSMENT SUMMARY

Under the provisions of the Underground Storage of Hazardous Substances Act in accordance with N.J.A.C. 7:14B

This Summary form shall be used by all owners and operators of Underground Storage Tank Systems (USTS) who have either reported a release and are subject to the site assessment requirements of N.J.A.C. 7:14B-8.2 or who have closed USTS pursuant to N.J.A.C. 7:14B-9.1 et seq. and are subject to the site assessment requirements of N.J.A.C. 7:14B-9.2 and 9.3.

INSTRUCTIONS:

- Please print legibly or type.
- Fill in all applicable blanks. This form will require various attachments in order to complete the Summary. The technical guidance document, Interim Closure Requirements for UST's, explains the regulatory (and technical) requirements for closure and the Scope of Work, Investigation and Corrective Action Requirements for Discharges from Underground Storage Tanks and Piping Systems explains the regulatory (and technical) requirements for corrective action.
- Return one original of the form and all required attachments to the above address.
- Attach a scaled site diagram of the subject facility which shows the information specified in Item IV B of this
- Explain any "No" or "N/A" response on a separate sheet.

	•	Date of Su	bmission:	
Building No. 2504B UST No. 81515-16				0192477-1
1. FACILITY NAME AND ADDRESS:				Facility Registration #
U.S. Army Fort Monmouth New Jersey	Duilding 167	·		
Directorate of Engineering and Housing Fort Monmouth New Jersey 07703 Tolorbaro No. 2008 533 6334	Building 167 County Mo	nmouth		
Telephone No. 908-532-6224				
OWNER'S NAME AND ADDRESS, if different	ent from above.			
				
Telephone No.	_			

II.	DISCHARGE REPORTING REQUIREMENTS
	Was contamination found?YesX _ No _ If Yes, Case No (Note: All discharges must be reported to the Environmental Action Hotline (609) 292-7172)
	B. The substance(s) discharged was (were)N/A
	C. Have any vapor hazards been mitigated?YesNoX_ N/A
III.	DECOMMISSIONING OF TANK SYSTEMS Closure approval No. July 18, 1995 letter
	The site assessment requirements associated with <u>tank decommissioning</u> are explained in the Technical Guidance Document, Interim Closure Requirements for UST's, Section V. AD. <u>Attach</u> complete documentation of the methods used and the results obtained for each of the steps of <u>tank decommissioning</u> used. Please include a <u>site</u> map which shows the locations of all samples and borings, the location of all tanks and piping runs at the facility at the beginning of the tank closure operation and annotated to differentiate the status <u>of all tanks and piping</u> (e.g., removed, abandoned, temporarily closed, etc.). The same site map can be used to document other parts of the site assessment requirements, if it is properly and legibly annotated.
IV.	SITE ASSESSMENT REQUIREMENTS
	A. Excavated Soil
	Any evidence of contamination in excavated soil will require that the soil be classified as either Hazardous Waste or Non-Hazardous Waste. Please include all required documentation of compliance with the requirements for handling contaminated excavated soil (if any was present) as explained in the technical guidance documents for closure and corrective action. Describe amount of soil removed, its classification and disposal location.
	B. Scaled Site Diagrams
	1. Scaled site diagrams must be attached which include the following information:
	 a. North arrow and scale b. The locations of the ground water monitoring wells c. Location and depth of each soil sample and boring d. All major surface and subsurface structures and utilities e. Approximate property boundaries f. All existing or closed underground storage tank systems, including appurtenant piping g. A cross-sectional view indicating depth of tank, stratigraphy and location of water table h. Locations of surface water bodies
	C. Soil samples and borings (check appropriate answer)
	1. Were soil samples taken from the excavation as prescribed? X Yes No N/A
	2. Were soil borings taken at the tank system closure site as prescribed?YesNo _X_N/A
	3. Attach the analytical results in tabular form and include the following information about each sample
	 a. Customer sample number (keyed to the site map) b. The depth of the soil sample c. Soil boring logs d. Method detection limit of the method used e. QA/QC Information as required

D.	Ground Wa	ater Monitoring
1.	Number of	ground water monitoring wells installed0
2.	Attach the sample fro	analytical results of the ground water samples in tabular form. Include the following information for each meach well:
	a.	Site diagram number for each well installed
	b.	Depth of ground water surface
	C.	Depth of screened interval
	d.	Method detection limit of the method used
	e.	Well logs
	f.	Well permit numbers
	g.	QA/QC Information as required
v. s	OIL CONTA	MINATION
	A.	Was soil contamination found?YesX _ No If "Yes", please answer Question B-E If "No", please answer Question B
	В.	The highest soil contamination still remaining in the ground has been determined to be: 1. N/A ppb total BTEX, N/A ppb total non-targeted VOC 2. N/A ppb total B/N, N/A ppb total non-targeted B/N 3. 398.70 ppm TPHC 4. N/A ppb N/A (for non-petroleum substance)
	C.	Remediation of free product contaminated soils
		I free product contaminated soil on the property boundaries and above the water table are believed
		have been removed from the subsurface Yes No
		ree product contaminated soils are suspected to exist below the water tableYesNo ree product contaminated soils are suspected to exist off the property boundariesYesNo
	D. Was th	e vertical and horizontal extent of contamination determined?YesNoN/A
	E. Does	soil contamination intersect ground water?YesNoN/A
VI. C	ROUND W	ATER CONTAMINATION
	if "Yes"	round water contamination found?YesXNo ', please answer Questions B-G. please answer only Question B.
		phest ground water contamination at any 1 sampling location and at any 1 sampling event to date has letermined to be: N/A
	1.	ppb total BTEXppb total non-targeted VOC
	2	ppb total B/Nppb total non-targeted B/N
	3	ppb total MTBEppb total TBA
	4	ppb(for non-petroleum substance) Itest thickness of separate phase product found
	5. grea	test thickness of separate phase product found
	6. sep	arate phase product has been delineatedYes No N/A

C.	esults (s) of well search	
	A well search (including a review of manual well records) indicates that private, municipal or commercial wells do exist within the distances specified in the Scope of WorkYesNo N/A	
	2. The number of these wells identified is	
D.	Proximity of wells and contaminant plume	
	 The shallowest depth of any well noted in the well search which may be in the horizontal or vertical potential path(s) of the contaminant plume(s) is feet below grade (consideration has been given for the effects of pumping, subsurface structures, etc. on the direction(s) of contaminant migration). This well is feet from the source and its screening begins at a depth of feet. 	
	2. The shallowest depth to the top of the well screen for any well in the potential path of the plume(s) (as described in D1 above above) is feet below grade. This well is located feet from the source.	∍d
	3. The closest horizontal distance of a private, commerical, or municipal well in the potential path of the plume (a determined in D1) is feet from the source. This well is feet deep and screening begins at a depth of feet.	
E.	A plan for separate phase product recovery has been includedYesNoN/A	
F.	A ground water contour map has been submitted which includes the ground water elevations for each well.	
G.	Delineation of contamination	
	The ground water contaminants have been delineated to MCLs or lower values at the property boundaries. Yes No	
	The plume is suspected to continue off the properly at concentrations greater than MCLs. Yes No	
	3. Off property access (circle one): is being sought has been approved has been denied	
VII.	<u>SITE ASSESSMENT CERTIFICATION</u> [preparer of site assessment plan - N.J.A.C. 7:14B-8.3(b) &9.5(a)3]	
	The person signing this certification as the "Qualified Ground Water Consultant" (as defined in N.J.A.C.7:14B-1.6) responsible for the design and implementation of the site assessment plan as specified in N.J.A.C. 7:14B-8.3(a) & 9.2(b)2, must supply the name of the certifying organization and certification number.	
•	"I certify under penalty of law that the information provided in this document is true, accurate, and complete and was obtained by procedures in compliance with N.J.A.C. 7:14B-8 and 9. I am aware that there are significant penalties for submitting false, inaccurate, or incomplete information, including fines and/or imprisonment."	
	NAME (Print or Type) <u>Eugene Lesinski</u> SIGNATURE <u>SEE ATTACHED SUB-SURFACE EVALUATOR LOG</u> COMPANY NAME <u>U.S. Army Fort Monmouth</u> DATE (Preparer of Site Assessment Plan)	
	CERTIFYING CERTIFYING ORGANIZATION NJDEP NUMBER 0014537	

VIII. <u>TANK DECOMMISSIONING CERTIFICATION</u> [person performing tank decommissioning portion of closure plan - N.J.A.C. 7:14B-9.5(a)4]

"I certify under penalty of law that tank decommissioning activities were performed in compliance with N.J.A.C. 7:14B-9.2(b)3. I am aware that there are significant penalties for submitting false, inaccurate, or incomplete information, including fines and/or imprisonment."

inco	•	•	nd/or imprisonment."	mades for subfilling false, maceurale, or
NAM	E (Print or Type)	SAME AS SITE ASS	ESSMENT SIGNATURE	
COM	IPANY NAME			DATE
		(Peformer of Tank D	ecommissioning)	·····
IX.	CERTIFICATIO	ONS BY THE RESPON	ISIBLE PARTY(IES) OF T	HE FACILITIES
A.		certification shall be si c. 7:14B-2.3(c)1i].	igned by the highest ranki	ng individual with overall responsibility for that
	complete. I incomplete	am aware that there information, including	e are significant penaltie g fines and/or imprisonn	
NAM	IE (Print or Type)	James Ott	SIGNA	ATURE WILL OUT
COM	MPANY NAME	U.S. Army Fort M	lonmouth	DATE 3/25/98
В.	The following ce	rtification shall be sign	ed as follows [according to	o the requirements of N.J.A.C. 7:14B-2.3(C)2I]:
1.			ecutive officer of at least t	
2. 3.		pality, State, Federal o		or the proprietor, respectively; or ither the principal executive officer or ranking
4.	In cases whe required in A	ere the highest ranking above is the same pe		vernmental officer or official at the facility as d to certify in B, only the certification in A need hall be made.
in th resp com	is application an consible for obto plete. I am av	d all attached docum aining the information	nents, and that based on on, I believe that the su significant penalties for	d am familiar with the information submitted my inquiry of those individuals immediately abmitted information is true, accurate, and submitting false, inaccurate, or incomplete
NAN	ME (Print or Type)		SIGNATURE _	
CON	MPANY NAME _			DATE

3 ARMY, SELFM-PW-I DAILY UST SUBSURFACE REMOVAL LOG

	BLDG.#: 25046 REG.#: 008/515 - 16 CLOSURE#: NTVEP CT	R 7-18-8
. 7	DATE: 5-/3-97 TOA: *000 TOD: 1200	
, ,	GOV. SSE: 2851NSKI NJDEP CERT.#: 00/4537	
()	CLOSURE SUPERVISOR: DEMOVAL CONTRACTOR: SAI Inc. VS	
	CLOSURE SUPERVISOR: 10 (10 NJDEP CERT.#: WEATHER: Partly Clouds 60	_
لد		
, n,	ACTIVITY	YES/
z - 0	THE SUPERVISOR (CLOSURE CERT.) WAS ON-SITE DURING ALL CLOSURE RELATED ACTIVITIES	4
V ar	THE SSE WAS ON-SITE DURING UST REMOVAL AND SITE SCREENING AND SAMPLING ACTIVITIES	4
: "	ALL ON-SITE PERSONNEL HAD TRAINING IAW ALL SAFETY REQUIREMENTS (E.G. 29CFR)	9
	A CONFINED ENTRY PERMIT WAS COMPLETED AND POSTED ON-SITE BY THE CONTRACTOR	W/A
, a	THE UST WAS PLACED ONTO PLASTIC, SCRAPED OFF, INSPECTED FOR HOLES AND PHOTOGRAPHED	Y
v u	A DISCHARGE WAS REPORTED TO THE NJDEP (609-292-7172), CASE#	10
1 %	PHOTOS HAVE UST#, BLDG. #, DATE, TIME, NAME OF SSE AND DESCR. WRITTEN ON BACK	7
	GROUNDWATER WAS ENCOUNTERED ATFEET BG, A SHEEN (WAS/WAS NOT) OBSERVED ON GW	N
/ K	IF OVA/Hnu WAS USED: WAS IT CAL. AND FOUND TO BE OPERATIONAL (cal. data on COC)	7
(IF SAMPLES WERE TAKEN: COC, SCALED SITE MAP (VERT. SOIL HORIZONS AND PLOT PLAN)	
; 1	ALL SAMPLE COLLECTION ACTIVITIES WERE AS DESCRIBED IN THE NJDEP FSPM, 1992	7
: u	ALL SAMPLING WAS BIASED TOWARD HIGHEST OVA/FID RECORDED SITES IAW 7:26E-3.6 et seg	Y
; a	ALL PETROL. CONT. SOILS WERE SECURED FROM THE WEATHER BY CLOSE OF BUSINESS TODAY	MA
	THE SSE AUTHORIZED BACKFILLING THE EXCAVATION (STONE TO 1" ABOVE GROUNDWATER)	Y
j - k	ADDITIONAL NOTES WERE TAKEN AND ARE RECORDED ON THE BACK OF THIS FORM	1
	THE FOLLOWING DOCUMENTS WERE ADDED TO THE PROJECT FOLDER TODAY: (CIRCLE EACH)	
1 k	SCRAP TICKET, CSE PERMIT, ACCIDENT REPORT, HAZ. WASTE MANIFEST, DAILY UST CLOSURE LOG, SCALED SITE MAP (SAMPLING), SRF-CLOSURE, CHAIN OF CUSTODY, SOIL ANALYTICAL RESULTS, CLEAN FILL TICKETS (IN YDS ³), PHOTOGRAPHS (UST, EXCAVATION, SAMPLING POINTS)	A
v a	CHECK ALL BOXES. LEAV	
· 1	certify under penalty of law that tank decommissioning activities	
_	rformed in compliance with N.J.A.C. 7:14B-9.2(b)3 and 7:26 et seq. I a	
	at there are significant penalties for submitting false, inaccurated complete information, including fines and/or imprisonment.	ice, or
`	CGNATURE: DATE: 5-13-97	er V
 	DATE.	·
ca\	\ms\ust\removal\sitessls.doc	

APPENDIX C

WASTE MANIFEST

७ LORCOPETROLEUM SERVICES

Т	NON-HAZARDOUS	1 Consentario III	DX 5A - OLD BRIDGE, NJ	Manifoot	2. Page 1			· · · · · · · · · · · · · · · · · · ·	
1	WASTE MANIFEST	WT221	00.20.9.7.8	Document No.	of /	1	NHZ	0048	352
Ţ	3. Generator's Name and Mailing Address	Electronics	Command		,				
ķ	3. Generator's Name and Mailing Address J.S. ARMY Communications JAMELES Wood Read, Closs AH: SELFM - FW - EV Fort	PALLON BI	15. 173 L N 5. 0 20 0						
	4. Generator's Phone (904) 532 -6.	2.23	, , , = 0,7,63						
Ţ	Transporter 1 Company Name VERY CO II	NC .	N J D Onabeby 1000	1u4nb4r 0 6 4	A. Tranga Charles	era Zno	m D 90	0	
L	7. Transporter 2 Company Name	 	8. US EPA ID I		B. Transport	are Dh			
	. Hansporter 2 Company Name	i	6. US EFAID I		b. Transport	815 FII	one		
	9. Designated Facility Name and Site Address I	NC DBA LORC	O PETROLSEUM IDS	V(0) §er	C. Facility's I	Phone			
	RUNYON&CHEESEQUAKE RDS		N J D O 8 4 0		908 7	21-0	900		
۱۱	OLD BRIDGE, NJ 08857	!	11 3 3 3 3 4 3	4 4 0 0 4	,		,,,,,,		
	11. Waste Shipping Name and Description					Conta		13. Total	14. Unit
	2					ło.	Туре	Quantity	WVVo
П	*PETROLEUM OIL (PETROLEUM OI	L) Deiii			0	0 1	TT		G
	COMBUSTIBLEL LIQUID UN1270				<u> </u>	<u>. </u>	<u> </u>	XXX37.	1
GENERATOR	b.								
Ē					\ <u>.</u>		İ		1
R A T	С.								T
Ö					╽.				
Ï	d.							"" ,=	1-
١						Ì			
l	D Additional Descriptions for Materials Listed Abo				F Handling	Codes	for Was	tes Listed Above	ــــــــــــــــــــــــــــــــــــــ
١	D. Additional Descriptions for Materials Listed Abo				T04 F				
	WATER 50 %								
l					<u> </u>	<u>.</u>			
l	15. Special Handling Instructions and Additional Int 24 HR EMERGENCY RESPONSE	(1988) 721-1	0900	224					
l	DECAL#つつとフュ FRG#128 DFXS]	II. TESI KII	RESULIS/ VII	_PPM					
1	MANIFEST USED FOR TRACKIN	NG PURPUSES	ONL 1						
1				γ	_	,			
١					1				
١	16. GENERATOR'S CERTIFICATION: I certify the	materials described ab	ove on this manifest are not	subject to lederal regu	lations for report	ing prop	e dispos	sal of Hazardous W	/aste.
١	Printed/Typed Name	1415//1	Signature	11.01	10.		11	Month Da	7.6
V	EUGENE VV LES	Hatariala H	- Cogs	my	Jusus	71		0.60	217
RA	17. Transporter 1 Acknowledgement of Receipt of Printed/Typed Name	Materials	Signatura	1 1				Month Da	ay Ye
S	Richard Dirie	2120	Osel	and !	ndu	~		060	312
CR	18. Transporter 2 Acknowledgement of Receipt of	Materials				2			
TRANSPORTER	Printed/Typed Name		Signature					Month De	ay Ye
	19. Discrepancy Indication Space								
F		•							
40									
	20. Facility Owner or Operator: Certification of rec	eipt of waste materia	ils covered by this manife	st except as noted in	Item 19.				
į				Al.					
	Printed/Typed Name PAUL T. PIMP	2610	Signature	ML (1	>		Month D	ay Yo
L				4173	يح			_ NO N)اد

APPENDIX D

UST DISPOSAL CERTIFICATE

THIS CHECK IS DELIVERED FOR PAYMENT ON THE POLLOWING ACCOUNTS.			
DATE AMOUN	MAZZA & SC	NS, INC.	1350
DATE	RECYCLING D	ON RD.	7 55-7233/2212
	TINTON FALLS,		9/3/97
	BAY	1/6	ATE
TOTAL OF INVOICES	PAY TO THE ORDER OF	1/nnel	
LESS FREIGHT	Four Hundran	Seventy JIX	POLLARS DELL
TOTAL DEDUCTIONS	Sovereign Ba	nk	
AMOUNT OF CHECK) JAAA
			and (///all
H= 0 0 1	350# #12222272332400	0 104164956	16
The second secon			
		***************************************	manamanananan ito syyddig ganaan a'i o y sol o y safaan ar saccig cafaan a'i oo sol o
	MAZZA & SONS	INC.	200
	Metal Recyclers		NO
	3230 Shafto Rd.		DATE. 3 S-197
	Tinton Falls, NJ (908) 922-9292		DATE.
	(500) 544 5454		
		11	
Custon	ner's Name	y VINNERC	
Custon Addres		y VINNERC	
		y VINNERC	······································
Addres		y VINNECC	
Addres Weight I	ss	y VINNECC	Weight Price Lt. Copper
Addres Weight I	ss	24200 LB	
Addres Weight I	ss		Lt. Copper Brass
Weight F Cast Iron Steel Medi 169 Lt. Iron	ss		Lt. Copper Brass Alum Clean
Weight I Cast Iron Steel Juni 164 Lt. Iron Copper #1	ss	24200 LB 19500 LB	Lt. Copper Brass Alum Clean Lead
Weight F Cast Iron Steel Medi 169 Lt. Iron	ss	24200 LB	Lt. Copper Brass Alum Clean
Weight I Cast Iron Steel THENTY 144 Lt. Iron Copper #1	ss	24200 LB 19500 LB	Lt. Copper Brass Alum Clean Lead
Weight I Cast Iron Steel THENTY 144 Lt. Iron Copper #1	ss	24200 LB 19500 LB	Lt. Copper Brass Alum Clean Lead Stainless
Weight I Cast Iron Steel THENTY 144 Lt. Iron Copper #1	Price B 2504 B 454	24200 LB 19500 LB	Lt. Copper Brass Alum Clean Lead Stainless Battery
Weight I Cast Iron Steel Juni 164 Lt. Iron Copper #1	Price B 2504 B 454	24200 LB 19500 LB	Lt. Copper Brass Alum Clean Lead Stainless Battery
Weight I Cast Iron Steel Juni 164 Lt. Iron Copper #1	Price B 2504 B 454	24200 LB 19500 LB	Lt. Copper Brass Alum Clean Lead Stainless Battery
Weight I Cast Iron Steel Juni 164 Lt. Iron Copper #1	Price B.2504 1.50 B. 454	24200 LB 19500 LB 4/700	Lt. Copper Brass Alum Clean Lead Stainless Battery

APPENDIX E

SOIL ANALYTICAL DATA PACKAGE

US ARMY FT. MONMOUTH ENVIRONMENTAL LABORATORY **NJDEPE # 13461**

REPORT OF ANALYSIS

Client:

U.S. Army

DPW, SELFM-PW-EV

Bldg. 173

Ft. Monmouth, NJ 07703

Project:

Total Petroleum Hydrocarbons

96-1262

B.2504

Project #

2523

Date Rec.

05/13/97

Date Compl. 05/16/97

Released by:

Daniel K. Wright Laboratory Director

Table of Contents

Section	<u> Pages</u>
Cover Sheet	1
Table of Contents	2
Method Summary	3
Conformance/Non-Conformance	4
Chain of Custody	5
Results Summary	6
Initial Calibration Summary	7
Continuing Calibration Summary	8
Surrogate Results Summary	9
MS/MSD Results Summary	10
Quality Control Spike Summary	11
Raw Sample Data	12-27
Laboratory Deliverable Checklist	28

PHC Conformance/Non-conformance Summary Report

	<u>No</u> Yes
1. Method Detection Limits provided.	
2. Method Blank Contamination - If yes, list the sample and the corresponding concentrations in each blank.	<u>~</u> _
	•
3. Matrix Spike Results Summary Meet Criteria. (If not met, list the sample and corresponding recovery which falls outside the acceptable range).	
4. Duplicate Results Summary Meet Criteria.	
(If not met, list the sample and corresponding recovery which falls outside the acceptable range).	
5. IR Spectra submitted for standards, blanks, & samples	NA
6. Chromatograms submitted for standards, blanks, and samples if GC fingerprinting was conducted.	
7. Analysis holding time met.	
(If not met, list number of days exceeded for each sample)	
Additional Comments:	

Laboratory Authentication Statement

I certify under penalty of law, where applicable, that this laboratory meets the Laboratory Performance Standards and Quality Control requirements specified in N.J.A.C. 7:18 and 40 CFR Part 136 for Water and Wastewater Analyses and SW 846 for Solid Waste Analysis. I have personally examined the information contained in this report, and to the best of my knowledge, I believe that the submitted information is true, accurate, complete, and meets the above referenced standards where applicable. I am aware that there are significant penalties for purposefully submitting falsified information, including the possibility of a fine and imprisonment.

Daniel K. Wright Laboratory Manager



Fort Monmouth Env. Inmental Testing Laboratory

Bldg. 173, SELFM-PW-EV, Fort Monmouth, NJ 07703

Tel (908)532-4359 Fax (908)532-3484 EMail:appleby@doim6.monmouth.army.mil

NJDEP Certification #13461

Chain of Custody Record

	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4														1
:	Customer: GEN	E LESINSKI-DPW	Project No:	0750 -91	6-126	٤2			Ana	lysis l	Param	eters			Comments:
	Phone #: 2098	7	Location:					$\boldsymbol{\mathcal{B}}$							*= SAMPLES KETT BELD & 4°C
	()DERA (HOMA	()Other:	B. 2	504				Salves	B						BELD 5 9 C
	Samplers Name / Co	mpany: GARY DIM	ARTINIS-	105	Sample	#	TEMC		Muser					OUM	
0/500	Lab Sample I.D.	Sample Location	Date	Time	Туре	bottles	12	B	1					0	Remarks / Preservation Mathod
z. 19	25,23 -01		5-13-97	0939	SOIL	1	\boxtimes	\times	\geq					NO	CENTER LINE COLO Y
8/.06	69	2504-8		0942										ND	
79.22	63			0945										ND	
83.19	04	2504-0		1001										ND	SIDE WILL GOS
84.27	65	2504-E		0955										んり	
7.53		2504-F		1006										NS	Piping Puncoling
4.12	07	2504-G		1015										NO	
5.49	०३	2504-DUP			1			V	1					1	Fierd I
i															
		• • • • • • •													
	NOTE: OUA!	#ASZILY) CHLIBRAT	ED 64/95A	om CHY	+ZER	0(0)	GIR (20	930	iRs &	2N \$	1/3/7	76	, 6.	Diffi in "
	1	. 1													
	Relinquished by (signatur	Date/Time:	Received by (s	signaturc): 5	-13-57	Reline	uished l	oy (sigr	nature):		Date/	Γime:	Receive	ed by (signature
	May O'M	6/5/13/17/423	SACO		,,										
./	Relinquished by (signatur	e): Date/Time:	Received by (s			Reling	uished t	oy (sigr	nature):		Date/	l'ime:	Receiv	ed by (signatur
	Report Type: (_)Full, (X)	Reduced, (_)Standard, (_)Screen	n / non-certified				Remark	ks: D	EDILI	47ED	SAM	DUN	G T0	المال	USEL
	Turnaround time: Stand		()ASAP Verb	al Hrs							,	 1	· · · · · · · · · · · · · · · · · · ·		<u> </u>
•															

Report of Analysis U.S. Army, Fort Monmouth Environmental Laboracory NJDEP Certification # 13461

Client:

U.S. Army

Lab. ID#:

2523

DPW. SELFM-PW-EV

Date Rec'd:

13-May-97

Bldg. 173

Analysis Start:

15-May-97

Ft. Monmouth, NJ 07703

Analysis Complete:

16-May-97

Analysis:

OQA-QAM-025

UST Reg. #:

Matrix:

Soil

Closure #:

Analyst:

P. Skelton

DICAR #:

Ext. Meth:

Shake

Location #:

Ext. Meth:	Shake			Location #:		B. 2504
Sample	Field ID	Dilution Factor	Weight (g)	% Solid	MDL (mg/kg)	TPHC Result (mg/kg)
2523.01	2504-A	1.00	15.02	89.19	175	398.70
2523.02	2504-B	1.00	15.20	81.06	191	ND
2523.03	2504-C	1.00	15.31	79.22	194	ND
2523.04	2504-D	1.00	15.50	83.49	182	ND
2523.05	2504-E	1.00	15.23	84.27	183	ND
2523.06	2504-F	1.00	15.25	87.53	176	ND
2523.07	2504-G	1.00	15.32	84.12	182	200.07
2523.08	2504-DUP	1.00	15.28	85.44	180	ND
METHOD BLANK	15-May-97	1.00	15.00	100.00	157	ND

ND = Not Detected

MDL = Method Detection Limit

Daniel K. Wright

Laboratory Director

Response Factor Report F1_/TCD

Method : C:\HPCHEM\1\METHODS\TPH6.M (Chemstation Integrator)
Title : TPHC Calibration 01/17/97
Last Update : Wed May 14 11:00:14 1997

Calibration Files

=T01299.D 3 =T01298.D

=T01300.D 2 =T01297.D 5 =T01296.D

 Compound	_	2		=	_	Avg	%RSD
o-terphenyl	2.377	2.420	2.313	2.342	2.649	2.420 E4 2.792 E4	

Evalua Continuing Calibration Re ort

Data File : C:\HPCHEM\1\DATA\970513\T013521.D

Vial: 1

: 16 May 97 12:02 am

Operator:

: 50 PPM Sample

Inst : FID/TCD

Misc : 15B Multiplr: 1.00

IntFile : autoint1.e

: C:\HPCHEM\1\METHODS\TPH6.M (Chemstation Integrator) Method

Title : TPHC Calibration 01/17/97 Last Update : Wed May 14 11:00:14 1997 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min

Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
	o-terphenyl tphc		24.782 E3 21.587 E3			

Report of Analysis U.S. Army, Fort Monmouth Environmental Laboracry NJDEP Certification # 13461

Surrogate Recovery Report

Lab. ID#: 2523
Location#: B.2504

Sample		Surrogate Added (ppm)	Amount Recovered (ppm)	Percent Recovery
2523.01		10.00	10.82	108.22
2523.02		10.00	9.97	99.73
2523.03		10.00	10.10	101.04
2523.04		10.00	10.34	103.40
2523.05		10.00	10.28	102.81
2523.06		10.00	3.93	39.25
2523.07		10.00	10.27	102.65
2523.08		10.00	11.80	117.95
METHOD BLANK	15-May-97	10.00	9.95	99.48

 ${\bf Surrogate\ Added:}$

o-Terphenyl

Report of Analysis U.S. Army, Fort Monmouth Environmental Laboracory NJDEP Certification # 13461

Matrix Spike Recovery Report

Lab. ID#:

2523

Location #: B.2504

Sample	Spike Amount Added (ppm)	Sample Amount (ppm)	Matrix Spike Amount (ppm)	Percent Recovery	QC Limits
2518.07MS	630	0.00	781.22	124.00	75-125
2518.07MSD	630	0.00	685.57	108.82	75-125

RPD	13.04	20.00

Report of Analysis U.S. Army, Fort Monmouth Environmental Laboracory NJDEP Certification # 13461

Blank Spike Recovery Report

Lab. ID#:

2523

Location #:

B.2504

Sample	Date Extracted	Spike Amount Added (ppm)	Matrix Spike Amount (ppm)	Percent Recovery	QC Limits
Blank Spike	15-May-97	630	810.05	128.58	75-125

'T Reviewed)

Data File : C:\HPCHEM\1\DATA\970513\T01355.D

: 16 May 97 1:28 am Operator:

Sample : 2523.01

Acq On

Misc

: FID/TCD Inst Multiplr: 1.00

Vial: 61

: 15B

IntFile : autoint1.e

Quant Time: Sep 12 15:31 1997 Quant Results File: TPH6.RES

Quant Method : C:\HPCHEM\1\METHODS\TPH6.M (Chemstation Integrator) : TPHC Calibration 01/17/97

Last Update : Wed May 14 11:00:14 1997 Response via : Initial Calibration

DataAcq Meth : TPH6.M

Volume Inj. : 1 ul Signal Phase : HP-5

Compound	R.T.	Response	Conc Units
System Monitoring Compounds 1) s o-terphenyl	13.37	261899	10.822 mg/L m
Target Compounds 2) t tphc	13.37	4008098	106.601 mg/L m

Data File : C:\HPCHEM\1\DATA\970513\T01355.D

: 16 May 97 1:28 am

Vial: 61 Operator:

Sample : 2523.01 Misc : 15B

Acq On

: FID/TCD Inst Multiplr: 1.00

IntFile : autoint1.e


Quant Time: Sep 12 15:31 1997 Quant Results File: TPH6.RES

Quant Method : C:\HPCHEM\1\METHODS\TPH6.M (Chemstation Integrator)

: TPHC Calibration 01/17/97 Title Last Update : Wed May 14 11:00:14 1997 Response via: Multiple Level Calibration

DataAcq Meth : TPH6.M

Volume Inj. : 1 ul Signal Phase: HP-5



T01355.D TPH6.M

Fri Sep 12 15:32:09 1997

Quantitation Report ?T Reviewed)

Data File : C:\HPCHEM\1\DATA\970513\T01356.D

Acq On : 16 May 97 2:11 am

Vial: 62 Operator:

Sample : 2523 Misc : 15B : 2523.02

Inst : FID/TCD Multiplr: 1.00

IntFile : autoint1.e

Quant Time: Jun 4 11:56 1997 Quant Results File: TPH6.RES

Quant Method : C:\HPCHEM\1\METHODS\TPH6.M (Chemstation Integrator)

: TPHC Calibration 01/17/97 Title Last Update : Wed May 14 11:00:14 1997
Response via : Initial Calibration

DataAcq Meth : TPH6.M

Volume Inj. : 1 ul Signal Phase : HP-5

Compound	R.T.	Response	Conc Units
System Monitoring Compounds 1) s o-terphenyl	13.37	241354	9.973 mg/L m
Target Compounds 2) t tphc	0.00	0	N.D. mg/L

Data File : C:\HPCHEM\1\DATA\970513\T01356.D

Vial: 62

Acq On : 16 May 97 2:11 am Operator:

Sample : 2523.02 Inst

Misc : 15B

: FID/TCD Multiplr: 1.00

IntFile : autoint1.e

Quant Time: Jun 4 11:56 1997 Quant Results File: TPH6.RES


Quant Method : C:\HPCHEM\1\METHODS\TPH6.M (Chemstation Integrator)

Title : TPHC Calibration 01/17/97 Last Update : Wed May 14 11:00:14 1997 Response via : Multiple Level Calibration

DataAcq Meth : TPH6.M

Volume Inj. : 1 ul Signal Phase: HP-5

Signal Info : 30m x 0.32mm



Quantitation Report '?T Reviewed)

Data File : C:\HPCHEM\1\DATA\970513\T01357.D

: 16 May 97 2:54 am

Vial: 63 Operator:

Sample

: FID/TCD

Acq On Misc

: 2523.03

Inst

: 15B

Multiplr: 1.00

IntFile : autoint1.e

Quant Time: Jun 4 11:57 1997 Quant Results File: TPH6.RES

Quant Method : C:\HPCHEM\1\METHODS\TPH6.M (Chemstation Integrator)

: TPHC Calibration 01/17/97 Last Update : Wed May 14 11:00:14 1997 Response via : Initial Calibration

DataAcq Meth : TPH6.M

Volume Inj. : 1 ul Signal Phase : HP-5

Compound	R.T.	Response	Conc Units	
System Monitoring Compounds 1) s o-terphenyl	13.37	244530	10.104 mg/L m	
Target Compounds 2) t tphc	0.00	0	N.D. mg/L	

Data File : C:\HPCHEM\1\DATA\970513\T01357.D

Vial: 63 Operator:

Acq On : 16 May 97 2:54 am

: FID/TCD

Sample : 2523.03 : 15B Misc

Inst Multiplr: 1.00

IntFile : autoint1.e


Quant Time: Jun 4 11:57 1997 Quant Results File: TPH6.RES

Quant Method : C:\HPCHEM\1\METHODS\TPH6.M (Chemstation Integrator)

Title : TPHC Calibration 01/17/97 Last Update : Wed May 14 11:00:14 1997 Response via : Multiple Level Calibration

DataAcg Meth: TPH6.M

Volume Inj. : 1 ul Signal Phase: HP-5



Quantitation Report '?T Reviewed)

Data File : C:\HPCHEM\1\DATA\970513\T01358.D

Acq On : 16 May 97 3:36 am

Vial: 64 Operator:

: 2523.04 Sample

Inst : FID/TCD

Misc : 15B Multiplr: 1.00

IntFile : autoint1.e

Quant Time: Jun 4 11:57 1997 Quant Results File: TPH6.RES

Quant Method : C:\HPCHEM\1\METHODS\TPH6.M (Chemstation Integrator)

: TPHC Calibration 01/17/97 Last Update : Wed May 14 11:00:14 1997 Response via : Initial Calibration

DataAcq Meth : TPH6.M

Volume Inj. : 1 ul Signal Phase: HP-5

Signal Info : 30m x 0.32mm

Compound	R.T.	Response	Conc Units	
System Monitoring Compounds 1) s o-terphenyl	13.37	250247	10.340 mg/L m	
Target Compounds 2) t tphc	0.00	0	N.D. mg/L	

Data File : C:\HPCHEM\1\DATA\970513\T01358.D

3:36 am Operator:

Sample : 2523.04 Misc : 15B

Acq On

Inst : FID/TCD Multiplr: 1.00

Vial: 64

IntFile : autoint1.e

Quant Time: Jun 4 11:57 1997 Quant Results File: TPH6.RES

Quant Method : C:\HPCHEM\1\METHODS\TPH6.M (Chemstation Integrator)


Title : TPHC Calibration 01/17/97 Last Update : Wed May 14 11:00:14 1997 Response via : Multiple Level Calibration

DataAcq Meth : TPH6.M

Volume Inj. : 1 ul Signal Phase : HP-5

Signal Info : $30m \times 0.32mm$

: 16 May 97



Quantitation Report TReviewed)

Data File : C:\HPCHEM\1\DATA\970513\T01359.D

Acq On : 16 May 97 4:19 am

Vial: 65 Operator:

Sample : 2523.05 Inst

Misc : 15B

: FID/TCD Multiplr: 1.00

IntFile : autoint1.e

Quant Time: Jun 4 11:57 1997 Quant Results File: TPH6.RES

Quant Method : C:\HPCHEM\1\METHODS\TPH6.M (Chemstation Integrator)

: TPHC Calibration 01/17/97 Title Last Update : Wed May 14 11:00:14 1997 Response via : Initial Calibration

DataAcq Meth : TPH6.M

Volume Inj. : 1 ul Signal Phase : HP-5

Compound	R.T.	Response	Conc Units
System Monitoring Compounds 1) s o-terphenyl	13.37	248821	10.281 mg/L m
Target Compounds 2) t tphc	0.00	0	N.D. mg/L

Data File : C:\HPCHEM\1\DATA\970513\T01359.D

am Operator:

Acq On : 16 May 97 4:19 am

Inst : FID/TCD

Vial: 65

Sample : 2523.05 Misc : 15B

Inst : FID/TC Multiplr: 1.00

IntFile : autoint1.e


Quant Time: Jun 4 11:57 1997 Quant Results File: TPH6.RES

Quant Method : C:\HPCHEM\1\METHODS\TPH6.M (Chemstation Integrator)

Title : TPHC Calibration 01/17/97 Last Update : Wed May 14 11:00:14 1997 Response via : Multiple Level Calibration

DataAcq Meth : TPH6.M

Volume Inj. : 1 ul Signal Phase : HP-5



Quantitation Report T Reviewed)

Data File : C:\HPCHEM\1\DATA\970513\T013591.D

Acq On : 16 May 97 5:01 am

Vial: 66 Operator:

Sample : 2523.06 Inst : FID/TCD

Misc : 15B

Multiplr: 1.00

IntFile : autoint1.e

Quant Time: Sep 12 15:33 1997 Quant Results File: TPH6.RES

Quant Method : C:\HPCHEM\1\METHODS\TPH6.M (Chemstation Integrator)

: TPHC Calibration 01/17/97 Title Last Update : Wed May 14 11:00:14 1997
Response via : Initial Calibration

DataAcq Meth : TPH6.M

Volume Inj. : 1 ul Signal Phase: HP-5

Signal Info : 30m x 0.32mm

Compound	R.T.	Response	Conc Units
System Monitoring Compounds 1) s o-terphenyl	13.37	94993	3.925 mg/L m
Target Compounds 2) t tphc	13.37	2298109	25.297 mg/L m

Data File : C:\HPCHEM\1\DATA\970513\T013591.D Vial: 66

Acq On : 16 May 97 5:01 am Operator:

Sample : 2523.06 Inst : FID/TCD Multiplr: 1.00

T013591.D\FID1B

IntFile : autoint1.e

Quant Time: Sep 12 15:33 1997 Quant Results File: TPH6.RES


Quant Method : C:\HPCHEM\1\METHODS\TPH6.M (Chemstation Integrator)

Title : TPHC Calibration 01/17/97 Last Update : Wed May 14 11:00:14 1997 Response via : Multiple Level Calibration

DataAcq Meth : TPH6.M

Volume Inj. : 1 ul Signal Phase : HP-5

Signal Info : 30m x 0.32mm
Response



T013591.D TPH6.M

Fri Sep 12 15:35:36 1997

Quantitation Report 'T Reviewed)

Data File : C:\HPCHEM\1\DATA\970513\T01360.D Vial: 67

: 16 May 97 5:43 am Operator:

Sample : 2523 Misc : 15B : 2523.07 Inst : FID/TCD Multiplr: 1.00

IntFile : autoint1.e

Quant Time: Sep 12 15:34 1997 Quant Results File: TPH6.RES

Quant Method : C:\HPCHEM\1\METHODS\TPH6.M (Chemstation Integrator)

Title : TPHC Calibration 01/17/97
Last Update : Wed May 14 11:00:14 1997
Response via : Initial Calibration

DataAcq Meth : TPH6.M

Volume Inj. : 1 ul Signal Phase : HP-5

Compound	R.T.	Response	Conc Units	
System Monitoring Compounds 1) s o-terphenyl	13.37	248419	10.265 mg/L m	
Target Compounds 2) t tphc	13.37	2850648	51.568 mg/L m	

Data File : C:\HPCHEM\1\DATA\970513\T01360.D Vial: 67

Acq On : 16 May 97 5:43 am Operator:

Sample : 2523.07 Inst : FID/TCD Misc : 15B Multiplr: 1.00

IntFile : autoint1.e


Quant Time: Sep 12 15:34 1997 Quant Results File: TPH6.RES

Quant Method : C:\HPCHEM\1\METHODS\TPH6.M (Chemstation Integrator)

Title : TPHC Calibration 01/17/97 Last Update : Wed May 14 11:00:14 1997 Response via : Multiple Level Calibration

DataAcq Meth : TPH6.M

Volume Inj. : 1 ul Signal Phase : HP-5



T01360.D TPH6.M

Fri Sep 12 15:35:42 1997

'T Reviewed) Quantitation Report

Data File : C:\HPCHEM\1\DATA\970513\T01361.D Vial: 68

: 16 May 97 6:24 am Operator:

Sample : 2523.08 Inst : FID/TCD : 15B Misc Multiplr: 1.00

IntFile : autoint1.e

Quant Time: Jun 4 11:58 1997 Quant Results File: TPH6.RES

Quant Method : C:\HPCHEM\1\METHODS\TPH6.M (Chemstation Integrator)

: TPHC Calibration 01/17/97 Last Update : Wed May 14 11:00:14 1997 Response via : Initial Calibration

DataAcg Meth: TPH6.M

Volume Inj. : 1 ul Signal Phase : HP-5

Signal Info : 30m x 0.32mm

Compound	R.T.	Response	Conc Units	
System Monitoring Compounds 1) s o-terphenyl	13.37	285447	11.795 mg/L m	
Target Compounds 2) t tphc	0.00	0	N.D. mg/L	

Data File : C:\HPCHEM\1\DATA\970513\T01361.D

Vial: 68

Acq On : 16 May 97 Sample : 2523.08

Operator:

Misc : 15B Inst : FID/TCD Multiplr: 1.00

IntFile : autoint1.e

Quant Time: Jun 4 11:58 1997 Quant Results File: TPH6.RES

6:24 am


Quant Method : C:\HPCHEM\1\METHODS\TPH6.M (Chemstation Integrator)

Title : TPHC Calibration 01/17/97 Last Update : Wed May 14 11:00:14 1997 Response via : Multiple Level Calibration

DataAcq Meth : TPH6.M

Volume Inj. : 1 ul Signal Phase: HP-5

Signal Info : 30m x 0.32mm



LABORATORY DELIVERABLES CHECKLIST AND NON-CONFORMANCE SUMMARY

THIS FORM MUST BE COMPLETED BY THE LABORATORY OR ENVIRONMENTAL CONSULTANT AND ACCOMPANY ALL DATA SUBMISSIONS

The following Laboratory Deliverables checklist and Non-Conformance Summary shall be included in the data submission. All deviations from the accepted methodology and procedures, of performance values outside acceptable ranges shall be summarized in the Non-Conformance Summary. The Technical Requirements for Site Remediation, effective June 7, 1993, provides further details. The document shall be bound and paginated, contain a table of contents, and all pages shall be legible. Incomplete packages will be returned or held without review until the data package is completed.

It is recommended that the analytical results summary sheets listing all targeted and non-targeted compounds with the method detection limits, practical quantitation limits, and the laboratory and/or sample numbers be included in one section of the data package <u>and</u> in the main body of the report.

l.	Cover page, Title Page listing Lab Certification #, facility name and address, & date of report submitted	
2.	Table of Contents submitted	$\overline{\mathcal{V}}$
3.	Summary Sheets listing analytical results for all targeted and non-targeted compounds submitted	<u></u>
4.	Document paginated and legible	
5.	Chain of Custody submitted	
б.	Samples submitted to lab within 48 hours of sample collection	
7.	Methodology Summary submitted	
8.	Laboratory Chronicle and Holding Time Check submitted	
9.	Results submitted on a dry weight basis	
10.	Method Detection Limits submitted	V
11.	Lab certified by NJDEP for parameters of appropriate category of parameters or a member of the USEPA CLP	
	poratory Manager or Environmental Consultant's Signature	

Laboratory Certification #13461

^{*}Refer to NJAC 7:26E - Appendix A, Section IV - Reduced Data Deliverables - Non-USEPA/CLP Methods for further guidance

APPENDIX F

PHOTOGRAPHS

PHOTOS NOT AVAILABLE